



## *Index*

### *Symbols*

- & (ampersand)
  - & (bitwise AND) operator, 39
  - & (boolean AND) operator, 38
  - && (conditional AND) operator, 37
  - &= (bitwise and assignment) operator, 41
- < (angle bracket, left)
  - < (less than) operator, 37
  - << (left shift) operator, 40
  - <<= (left-shift assignment) operator, 41
  - <= (less than or equal) operator, 37
- > (angle bracket, right)
  - > (greater than) operator, 16, 37
  - >> (signed right shift) operator, 40
  - >>> (unsigned right shift) operator, 40
  - >>>= (unsigned right-shift assignment) operator, 41
  - >>= (signed right-shift assignment) operator, 41
  - >= (greater than or equal) operator, 37
- \* (asterisk)
  - \*= (multiplication assignment) operator, 41
  - in doc comments, 227
  - multiplication operator, 34
- @ (at sign)
  - in doc comments, 227
  - filenames beginning with, Java compiler and, 248
- \ (backslashes), regular expression character escapes, 149
- ! (exclamation point)
  - ! (boolean NOT) operator, 38
  - !! (jdb shorthand) command, 262
  - != (not equals) operator, 37
- { } (curly braces)
  - in anonymous class formatting, 136
  - in classes, 11
  - enclosing body of loop, 16
  - enclosing statement blocks, 47
  - inline doc comment tags, 232
  - method body, enclosing, 13
  - nested if statements, use with, 47
  - nesting arrays within arrays, 74
- [ ] (brackets), array access operator, 33, 43, 70
- ^ (caret)
  - ^= (bitwise XOR assignment operator), 41
  - bitwise XOR operator, 39
  - boolean XOR operator, 38
- : (colon)
  - in statement labels, 45
  - in ternary operand, 32

- , (comma)
    - in numeric values, 152
    - separating variable names and initializers, 46
  - \$ (dollar sign), in identifiers, 21, 223
  - . (dot), object member access operator, 42
  - = (equal sign)
    - = (assignment) operator, 13, 41
      - combining with arithmetic, bitwise, and shift operators, 41
    - = (equal to) operator, 26, 36
      - comparing hashtable key objects, 156
      - comparing reference types for equality, 77
  - (minus sign)
    - (decrement) operator, 36
    - = (subtraction assignment) operator, 41
    - preceding integer literals, 24
    - subtraction operator, 32, 34
    - unary negation operator, 32, 35
  - () (parentheses)
    - in expressions, order of evaluation and, 34
    - method invocation operator, 33
    - in method names, 12
    - in method parameters, 12
    - operator precedence, overriding with, 31
    - subexpressions within regular expressions, 149
    - type conversion or casting operator, 43
  - % (percent sign)
    - % (modulo) operator, 35
    - %= (modulo assignment) operator, 41
  - $\pi$  (pi), defining constant for, 403
  - + (plus sign)
    - += (add assignment) operator, 41
      - concatenating strings with, 35
    - ++ (increment) operator, 33, 35
    - addition operator, 34
    - read access for applets, 236
    - spaces in URL encoding, 479
    - string concatenation operator, 35
  - ? (question mark)
    - ?: (conditional) operator, 41
    - jdb help command, 262
    - in ternary operand, 32
  - " " (quotes, double)
    - in strings, 27
    - surrounding string literals, 67
  - ' ' (quotes, single), enclosing char literals in Java code, 23, 68
  - ; (semicolon), 10
    - for empty statements, 45
    - ending do loops, 51
    - ending Java statements, 13, 15
    - compound statements and, 16
  - / (slash)
    - / (division) operator, 34
    - /\* \*/, in multiline comments, 11, 20
    - /\*\* \*/, in doc comments, 21, 225
    - /= (division assignment) operator, 41
    - //, in single-line comments, 10, 20
  - ~ (tilde)
    - bitwise complement operator, 39
    - bitwise NOT operator, 39
  - \_ (underscore), in identifier names, 21
  - | (vertical bar)
    - | (bitwise OR) operator, 39
    - | (boolean OR) operator, 38
    - || (conditional OR) operator, 38
    - |= (bitwise or assignment) operator, 41
- ## A
- absolute filenames, 334
  - abstract classes, 115–117
    - concrete subclasses, 116
    - InstantiationException, 399
    - InstantiationException, 399
    - interfaces vs., 118, 120
  - abstract methods, 115–117
    - AbstractMethodError, 377
    - interfaces, 118
  - abstract modifier, 116, 138
  - AbstractCollection class, 637
  - AbstractList class, 638
  - AbstractMap class, 639
  - AbstractPreferences class, 711
  - AbstractSequentialList class, 640

- AbstractSet class, 640
- accept() (ServerSocketChannel), 187
- access control, 111–114, 202, 204–207
  - for class members, 112
  - for classes, 112
  - classes implementing, 533
  - digitally signed classes, 205
  - inheritance and, 113
  - java.security package, 196
  - java.security.acl package, 570
  - modifiers, 111
  - for packages, 111
  - packages for, 143
  - permissions and policies, 206
  - the sandbox (Java 1.0), 204
  - for threads, 426
  - trusted vs. untrusted code, changes
    - in Java 1.2, 206
- access control list (ACL), 570
- AccessControlContext class, 536
- AccessControlException class, 536
- AccessController class, 206, 534, 537
- AccessibleObject class, 435
- accessor methods for bean properties
  - (see get and set property accessor methods)
- AccountExpiredException class, 799
- ACL (Access Control List), 570
- Acl interface, 570
- AclEntry interface, 570
- AclNotFoundException, 571
- action names, permissions, 207, 209
- adapter classes, 133
- add and remove methods for event listeners, 213
- addition (+) operator, 34
- additive operators, associativity of, 32
- addPreferenceChangeListener(), 178
- addPropertyChangeListener (PropertyChangeListener), 216
- addShutdownHook() (Runtime), 101
- addVetoableChangeListener
  - (VetoableChangeListener), 217
- Adler32 class, 727
- aggregate (reference) types, 29
- AlgorithmParameterGenerator class, 537
- AlgorithmParameterGeneratorSpi class, 538
- AlgorithmParameters class, 538
- AlgorithmParameterSpec interface, 603
- algorithms, cryptographic
  - digital signature algorithm for certificate, 268
  - javax.crypto.interfaces package, 754
  - specifications (javax.crypto.spec package), 756
  - specifying for keys, 267
  - supported by SunJCE provider, 740
- aliases for certificates and keys, 265
- allocating/deallocating memory (see garbage collection; memory)
- AllPermission class, 540
- AlreadyConnectedException class, 497
- AND (&&) operator (boolean), 37
- AND (&) operator (bitwise), 39
- AND (&) operator (boolean), 38
- animation, threads for, 161
- Annotation class, 610
- anonymous arrays, 72
- anonymous classes, 123, 133–136
  - features of, 134
  - formatting rules for code, 135
  - implementation of, 137
  - implementing adapter classes with, 133
  - new syntax for defining and initiating, 135
  - restrictions on, 134
  - when to use, 135
- anonymous inner classes, 68
- APIs (application programming interfaces), 118
  - core Java, 3, 14
  - extension, 3
  - platforms and operating systems, 4 (see also interfaces)
- AppConfigurationEntry class, 799
- LoginModuleControlFlag class, 799
- AppletInitializer interface, 283
- applets, 12
  - java.applet package, 145
  - security and, 202
  - security restrictions on, 204, 236

- appletviewer program, 234–238
  - commands, 235
  - options, 234
  - properties, 236
    - firewall and caching proxy servers , 237
    - security, 236
- application classes, default search path for, 260
- application programmers, security for, 207
- applications, 12
  - client, 174
  - networked, 171
- arbitrary-precision integers, package for, 143
- arguments, method, 14
  - IllegalArgumentException, 396
  - testing for legal values with assert statement, 62
- arithmetic
  - date and time, performing with Calendar, 154, 646
  - integer, in Java, 25
  - java.math package, 143
- arithmetic operators, 34
  - combining with assignment (=) operator, 41
- ArithmeticException class, 377
- arraycopy() (System), 155
- arrays, 14, 29, 69–74, 155
  - [] (array access) operator, 33, 43
  - Array class, 434
  - array literals, 71
  - ArrayIndexOutOfBoundsException, 56, 70, 216, 377
  - ArrayList class, 156, 641
  - Arrays class, 155, 642
  - ArrayStoreException, 378
  - of bytes, 167
    - comparing, 77
  - converting strings to, 417
  - converting to other reference types, 80
  - converting to strings, 35
  - copying, 75, 423
  - creating, 43, 70
  - equivalence, testing for, 78
  - index of elements, 70
  - indexed properties, JavaBeans, 216
  - instanceof operator, using with, 42
  - length of, 71
  - locks on, 54
  - memory allocation and garbage collection for, 79
  - multidimensional, 73
  - NegativeArraySizeException, 404
  - as objects, 156
  - ObjectStreamField objects, 231
  - as operand type, 33
  - rectangular, 74
  - references to, 75
  - streaming data to and from, 169
  - of strings, 12
    - sorting, 618
- ASCII
  - 7-bit character encoding, 20
  - native2ascii tool, 268
- assertions, 60–64
  - AssertionError class, 378
  - in classes loaded through ClassLoader, 388
  - compiling, 60
  - disabling for Java interpreter, 244
  - enabling, 61, 245
  - errors in, 63
  - javadoc tool, option for, 256
- assignment in expression statements, 44
- assignment operators, 13, 40
  - associativity, 32
  - combining with arithmetic, bitwise, and shift operators, 41
  - side effects of, 33
- associativity, operator, 30, 32
- asterisk (\*) (see \*, under Symbols)
- AsynchronousCloseException class, 497
- AttributedCharacterIterator interface, 610
  - Attribute class, 611
- AttributedString class, 611
- Attributes class, 690
  - Name class, 691

- authentication, 204
  - classes, 196
    - implementing with, 533
    - uniting with access control classes, 534
  - Kerberos protocol, using, 144
  - LoginModule interface, 144
  - messages transmitted with secret key, 750
  - packages for, 143
  - PasswordAuthentication class, 463
- Authenticator class, 450
- @author doc comment tag, 228
- authorization (see authentication)
- AuthPermission class, 783
- auxiliary classes provided by beans, 219
- AWT programming, 211
  - event model (Java 1.0 and 1.1), changes in, 225
  - java.awt.peer package, lack of portability, 224

## B

- BackingStoreException class, 712
- BadPaddingException, 739
- BasicPermission class, 540
- BCSChild class, 321
- BCSIterator class, 322
- BCSSChild class, 318
- BCSSProxyServiceProvider class, 318
- BCSSServiceProvider class, 319
- beanbox tool, 212
  - bean contexts supplied by vendor, 221
  - customizing beans with property value settings, 214
  - interoperability with beans, 214
- BeanContext interface, 221, 306
- BeanContextChild interface, 221, 308
- BeanContextChildComponentProxy interface, 309
- BeanContextChildSupport class, 221, 309
- BeanContextContainerProxy interface, 311
- BeanContextEvent class, 311

- BeanContextMembershipEvent class, 311
- BeanContextMembershipListener interface, 312
- BeanContextProxy interface, 310, 312
- BeanContextServiceAvailableEvent class, 313
- BeanContextServiceProvider interface, 313
- BeanContextServiceProviderBeanInfo interface, 314
- BeanContextServiceRevokedEvent class, 314
- BeanContextServiceRevokedListener interface, 315
- BeanContextServices interface, 221, 315
- BeanContextServicesListener interface, 316
- BeanContextServicesSupport class, 221, 317
  - BCSSChild class, 318
  - BCSSProxyServiceProvider class, 318
  - BCSSServiceProvider class, 319
- BeanContextSupport class, 221, 319
  - BCSChild class, 321
  - BCSIterator class, 322
- BeanDescriptor class, 284
- @beaninfo doc comment tag, 232
- BeanInfo interface, 213, 215, 219, 284
- beans (see JavaBeans)
- Beans class, 282, 285
- Bidi class, 613
- BigDecimal class, 153, 444
- BigInteger class, 153, 446
- binary (base-2) numbers, 39
- binary data in files, reading from arbitrary locations, 166
- binary operators, 32, 34
- BindException class, 450
- BitSet class, 644
- bitwise operators, 39
  - Boolean operators as, 38, 645
  - combining with assignment operator, 41
- blank lines in Java programs, 15
- blocking threads, waking, 164

- boolean data type, 16, 23
    - Boolean class, 378
    - get methods and, 115
    - operator return values, 33
    - return values for equality and relational operators, 36
  - Boolean operators, 37
    - | (OR), 39
    - BitSet class methods, using as, 645
  - bound properties, 213, 216, 298
    - GUI component, changes in, 282
  - break statements, 49, 52
    - labels, use of, 45
  - BreakIterator class, 614
  - breakpoints for jdb debugger, 262, 264
  - BufferedInputStream class, 324, 326
  - BufferedOutputStream class, 324, 326
  - BufferedReader class, 327
  - BufferedWriter class, 327
  - buffers
    - Buffer class, 482
    - BufferOverflowException class, 484
    - BufferUnderflowException class, 484
    - ByteBuffer class, 182, 484
    - channels, using with, 181
    - CharBuffer class, 147, 182, 488
    - DoubleBuffer class, 489
    - existing, encoding/decoding characters into, 182
    - FloatBuffer class, 490
    - IntBuffer class, 491
    - InvalidMarkException class, 492
    - LongBuffer class, 493
    - MappedByteBuffer class, 494
    - New IO API, 179, 481
    - ReadOnlyBufferException, 494
    - ShortBuffer class, 494
    - ShortBufferException, 754
    - size, setting for sockets, 453, 466
    - StringBuffer class, 419
    - StringBufferInputStream class, 370
  - bugs
    - implementation-specific, portability and, 224
    - security-related, 7
  - by reference, 141
  - byte code, 8
    - displaying for methods with javap tool, 259
    - JIT compilers, 391
    - verification of, 203
    - VerifyError class, 430
  - byte streams, UTF-8, 20
  - ByteBuffer class, 179, 182
  - ByteChannel interface, 181, 498
  - ByteOrder class, 487
  - bytes
    - buffers of, converting to buffers of characters, 179
    - Byte class, 25, 151, 379
    - byte data type, 24
    - ByteArrayInputStream class, 169, 323, 328
    - ByteArrayOutputStream class, 169, 323, 328
    - CharConversionException, 330
    - converting objects to, 170
    - streams of, 166
    - reading, 167
    - transferring from FileChannel to another channel, 184
- ## C
- C/C++ languages
    - address-of operator (&), 75
    - boolean type, Java boolean vs., 23
    - C language, differences from Java, 85–87
    - C++, object-oriented programming, Java vs., 88
    - C++ features not found in Java, 140
    - dereference operators (\* and ->), 75
    - finalization methods in Java vs. C++, 100
    - Java native methods, implementing in C, 257
    - memory allocation and garbage collection, Java vs., 79
    - multiple inheritance in C++, 118, 140
    - performance, Java vs., 8

- C/C++ languages (continued)
  - superclass indicating with :, Java keyword extends vs., 102
  - virtual functions in C++, 109
  - Java abstract classes vs., 116
- CA (certificate authority), 574, 593
- caching
  - by proxy servers, 237
  - URL connections, 477
- Calendar class, 154, 646
  - date arithmetic with, 154
  - GregorianCalendar class, 658
- Callback interface, 789
- CallbackHandler class, 789
- calling methods, 12
- CancelledKeyException class, 498
- canonical filenames, 334
- capitalization conventions, 222
- case labels (switch), 49
- case-sensitivity in Java, 10
- case, converting in strings, 417
- casts, 27
  - () (type conversion or casting) operator, 43
  - ClassCastException, 387
  - converting object to type of subclass, 80
  - object inheritance and, 103
  - objects to Object instance, 140
  - shadowed superclass field, accessing, 106
  - super, referring to shadowed fields vs. invoking overridden method with super, 109
- catch clause, 58
- catching errors in assertions, 63
- catching exceptions, 55
  - jdb debugger, 262
  - try/catch/finally statements, 57–60
- ceil() (Math), 28
- Centered interface (example), 118
- certificate authority (CA), 574, 593
- Certificate class, 574, 593
  - Certificate interface (java.security package) vs., 575
  - CertificateRep class, 575
  - (see also X509Certificate class)
- Certificate interface, 534, 541
  - Certificate class (java.security.cert) vs., 575
- certificate revocation lists (CRLs), 573, 587
- CertificateEncodingException, 576
- CertificateException class, 576
- CertificateExpiredException, 576
- CertificateFactory class, 577
- CertificateFactorySpi class, 578
- CertificateNotYetValidException, 578
- CertificateParsingException, 579
- certificates, 573
  - creating self-signed for public key associated with alias, 266
  - displaying contents with keytool, 266
  - java.security.cert package, 143
  - in keystore file, 241
  - public-key, associated with JAR file, 241
  - storing in keystore, 265
  - X.500, 144
    - distinguished name, 267
  - X.509
    - X500PrivateKey class, 804
    - X509KeyManager interface, 780
    - X509TrustManager interface, 780
- CertPath class, 579
  - CertPathRep class, 580
- CertPathBuilder class, 580
- CertPathBuilderException class, 581
- CertPathBuilderResult class, 581
- CertPathBuilderSpi class, 582
- CertPathParameters interface, 582
- CertPathValidator class, 582
- CertPathValidatorException class, 583
- CertPathValidatorResult interface, 584
- CertPathValidatorSpi class, 584
- CertSelector interface, 584
- CertStore class, 585
- CertStoreException class, 586
- CertStoreParameters interface, 586
- CertStoreSpi class, 586
- chaining
  - certificates, 579
  - constructors, 104

- chaining (continued)
  - exceptions, 439
  - methods
    - buffers, 180
    - overridden methods, 110
- channels, 143, 179, 465, 467, 495
  - AsynchronousCloseException, 497
  - basic operations, 181
  - ByteChannel interface, 498
  - DatagramChannel class, 187
  - FileChannel class, 183–185
  - interrupted threads and, 164
  - nonblocking, 187–191
  - ServerSocketChannel class, 187
  - SocketChannel class, 186
    - AlreadyConnectedException class, 497
- char data type, 23
  - char type vs. char values, 66
  - Character class wrapper for, 380
- character encoding
  - appletviewer, specifying for, 235
  - native2ascii tool, 268
  - UnsupportedEncodingException, 371
- character sets, 20, 522
  - encoders/decoders to convert Unicode strings to/from bytes, 143
  - Java platform internationalization features, 8
- characters, 23, 145–151
  - Character class, 24, 147, 380
    - Subset class, 383
    - UnicodeBlock class, 383
  - CharacterIterator interface, 615
  - CharArrayReader class, 169, 329
  - CharArrayWriter class, 169, 329
  - CharConversionException, 330
  - converting between byte buffers and character buffers, 179
  - in names, Java conventions for, 223
  - pattern matching with regular expressions, 148
  - streams of, 166
  - string, CharSequence and CharBuffer interfaces, 147
    - (see also char data type)
  - CharBuffer class, 180, 182, 488
  - CharSequence interface, 180, 385
- Charset class, 182
- CharsetDecoder class, 182
- CharsetEncoder class, 182
- charsets, encoding and decoding text
  - with, 182
    - 8-bit encoding charset (Latin-1), 183
    - EUC-JP (for Japanese text), 183
- checked exceptions, 56
  - methods throwing, 65
- CheckedInputStream class, 728
- CheckedOutputStream class, 728
- checkError(), 362
- checkPermission() (AccessController), 206
- checkRead() (SecurityManager), 204, 206
- Checksum interface, 729
- checksums, 168
  - Adler32 algorithm, 728
  - (see also message digests)
- ChoiceCallback class, 790
- ChoiceFormat class, 615
- Cipher class, 200, 738, 740
  - NullCipher class, 752
- CipherInputStream class, 200, 743
- CipherOutputStream class, 200, 743
- CipherSpi class, 743
- Circle class (example), 89–93
- circular dependency, 387
- class fields, 89, 437
  - default initialization, 96
  - initializing, 97
    - static initializers, using, 97
  - superclass, shadowing, 106
- class files, 84
  - verification of, 203
- class hierarchy, 80, 103
  - containment hierarchy vs., 129
- class methods, 89
  - choosing between class and instance methods, 93
  - Circle.radiansToDegrees() (example), 90
  - interfaces and, 118
  - listing all for specified class with jdb debugger, 263
  - shadowing by subclass, 107
  - synchronized, 55



- Class objects, obtaining, 158
- classes, 4, 7, 20, 29, 66, 142
  - abstract, 115–117, 138
    - concrete subclasses, 116
  - access to, 112
  - anonymous, 123, 133–136
  - anonymous inner classes, 68
  - byte-code verification, failing, 430
  - capitalization/naming conventions, 222
- Class class, 68, 374, 385
  - dynamic instantiation with `newInstance()`, 67
  - reflection and dynamic loading, 158
- ClassCastException, 80, 387, 652
- ClassCircularityError, 387
- ClassFormatError, 388
- ClassLoader class, 61, 388
- ClassNotFoundException, 389
- code source, 541
- constructors, fields, and methods, 434
- converting to strings, 35
- core, Java language, 142
- defining, 11, 66
  - restrictions on untrusted applets, 237
- definitions of, static initializers in, 97
- deprecated (`@deprecated` doc comment tag), 231
- digital signatures for, 205
- doc comments in (example), 226
- documentation by javadoc, display of, 256
- dynamic loading, 159
- enabling assertions in, 61
- extending, 102
- final, 103
- garbage collection, disabling for, 247
- hiding (and encapsulating) data in, 111
- IllegalAccessError, 396
- IllegalAccessException, 396
- implementing interfaces, 119
- importing, 82
- IncompatibleClassChangeError, 398
- inner, 122
  - how they work, 136–138
- InvalidClassException, 345
- Java platform, 3
- javap display, including or excluding from, 260
- LinkageError, 401
- loading
  - with interpreter, 247
  - with SecureClassLoader, 563
  - with URLClassLoader, 476
- local, 123, 129–133
- member, 125–129
- members of, 11, 88–94, 439
  - access control for, 111
  - class fields, 89
  - instance methods, 91–94
  - static and instance, 88
- modifiers for, 138–140
- names, simple and fully qualified, 81
- NoClassDefFoundError, 404
- online documentation for, 21
- package, specifying for, 82
- permission, summary of, 209
- public
  - in Java files, 83
  - preventing insertion of public constructor, 105
- references to, in `@see` doc comment tag, 229
- static member, 123
  - features of, 124
- system, 225
- tool for, 259
- undocumented, conventions/rules for, 224
- UnsatisfiedLinkError, 429
- UnsupportedClassVersionError, 429
- verifying with javap tool, 260
- version number, tool for displaying, 270
  - (see also Java platform; packages)
- “Classic VM”, 243
  - specifying for Java interpreter, 244

- CLASSPATH environment variable
  - appletviewer, use of, 236
  - javac compiler, specifying for, 251
  - setting for interpreter, 248
- classpath
  - application classes, specifying for
    - javap, 260
  - java interpreter, specifying for, 244
  - javadoc tool, 257
  - javah tool, 258
  - javap, for classes named on command line, 259
- client applications, 174
  - client option (HotSpot VM), 243
- client-side networking, 186
  - nonblocking I/O, 190
- <clinit> method, class initialization
  - code in, 97
- Clock class, 161
- clone() (Object), 76
- Cloneable interface, 76, 390
  - as marker interface, 122
- CloneNotSupportedException, 77, 390
- ClosedByInterruptException class, 164
- code
  - critical sections, synchronizing, 54
  - privileged, 559
- code blocks, synchronized, 162
- CodeSource class, 534, 541
- CollationElementIterator class, 616
- CollationKey class, 617
- Collator class, 150, 618
  - RuleBasedCollator class, 632
- CollectionCertStoreParameters class, 587
- collections, 156–158
  - AbstractCollection class, 637
  - classes for, 635
  - Collection interface, 649
  - Collections class, 650
  - Collections class utility methods, 157
  - converting to and from arrays, 157
  - Hashtables class, 176
  - immutable or unmodifiable, error, 430
  - packages for, 143
  - Permission objects, 556
  - RandomAccess interface, 156
  - sets, 677
  - vectors, 686
- com.sun.javadoc package, 252
- combination assignment operators, 41
- command-line tools
  - enabling assertions, 61
  - Java interpreter, -classpath option, 84
  - javac compiler, 10
- commands
  - appletviewer program, 235
  - jar tool, options, 239
  - jdb debugger, 261–265
  - keytool, 265
  - options, 267
- comments, 11, 20
  - doc, 225–233
  - single-line, enclosed with //, 10
- compact(), 182
- Comparable interface, 390
- Comparator interface, 652
- compareTo() (String), 150
- comparing
  - hashtable key objects, 156
  - strings, 150
  - strings and substrings, 416
- comparison operators, 36
  - precedence, boolean vs., 37
- compile() (Pattern), 149
- Compiler class, 391
- compilers, Java, javac, 10, 248–251
  - options, 249–251
- compiling assertions, 60
- compound (or composite) types, 29
- compound statements, 16, 45
- compression/decompression of data, 727
  - Adler32 checksum algorithm, 728
  - JAR archive files, 240
  - ZIP archives, 81
- concatenating file or directory name to directory name, 225
- concatenating strings, 417, 420
  - + and += operators, 35
  - string literals, 68
- concrete subclasses, 116
- ConcurrentModificationException, 653
- conditional (?) operator, 32, 41
- conditional AND (&&) operator, 37

- conditional OR (||) operator, 38
- Configuration class, 800
- configuration files
  - logging, 178
  - Properties class, using for, 176
- configuration, security levels and restrictions, 7
- ConfirmationCallback class, 790
- ConnectException class, 451
- connections
  - network, stream-based vs. data-grams, 175
  - URLConnection class, 477
- ConsoleHandler class, 696
- constants
  - capitalization/naming conventions, 89, 223
  - defined by primitive type wrapper classes, 26, 151
  - in interface definitions, 118
  - inheritance of, 119
  - in Java object serialization, 355
  - static and final
    - in anonymous classes, 134
    - in local classes, 130
- constrained properties, 213, 217, 298
  - changes, prohibiting, 301
- Constructor class, 67, 436
- constructors, 65, 94–98
  - anonymous classes and, 134
  - chaining, default constructor and, 104
  - classes, 434
  - defining, 94
    - multiple, 95
  - field initialization code in, 96
  - interfaces and, 118
  - invoking from another constructor, 95
  - local classes, enclosing instance
    - passed to, 131
  - member classes, 128
  - naming, declaring, and writing, 95
  - references to, in @see doc comment tag, 230
  - subclass, 103
  - superclass, 103
- containers for JavaBeans and bean contexts, 214, 311
  - BeanContext interface, 307
- containing classes
  - associating instance with local class, 130
  - instance, specifying for member class, 128
- containment hierarchy, 129
- containment protocol (JavaBeans), 221
- ContentHandler class, 192, 451
- ContentHandlerFactory interface, 451
- context objects for JavaBeans, 142
- context, bean, 221
- continue statements, 53
  - labels, use of, 45
- control flags, login module, 799
- conventions
  - capitalization, 222
  - documentation, 222–233
  - for JavaBeans, 214–220
  - naming, 222
  - for portability, 223–225
- converting data types
  - buffers of bytes to buffers of characters, 179
  - bytes to strings, 379
  - casting, 43
  - char to other types, 28
  - char values to integral types, 24
  - collections to/from arrays, 157
  - files to/from URIs, 334
  - floating-point to integers, 28
  - inheritance and, 102
  - int literals to shorter types, 24
  - Java source code to ASCII, 268
  - numbers to/from strings, 151
  - objects to byte streams, 170
  - primitive, listing of conversions, 28
  - reference types, 79
    - arrays, 80
    - objects, 80
  - to strings, 35
  - strings to integer values, 25
  - strings to integers, 399
  - strings to longs, 401
  - strings to/from shorts, 413
  - Unicode strings to/from bytes, 143
  - widening and narrowing conversions, 27
- copying files, using FileChannel objects, 183

- core Java APIs, 3, 14
- corrupted data streams, 368
- counters for loops, incrementing, 36, 50
- CRC32 class, 727, 729
- CredentialExpiredException class, 801
- critical sections, 54
- CRL class, 587
- CRLException class, 588
- CRLSelector interface, 588
- cryptographic-strength random numbers, 153
- cryptographic-strength checksums (see message digests)
- cryptography, 199–201, 204
  - arbitrary-precision integers, using, 444
  - DSA and RSA public and private keys, 598
  - encrypted objects, 201
  - encryption and decryption with Cipher, 200
  - Java Cryptography Extension (JCE), 534
  - javax.crypto package, 738
  - javax.crypto.interfaces package, 754
  - keytool program, 265–268
  - principals in cryptographic transactions, 558
  - public/private key
    - classes for authentication, 534
    - converting between Key and KeySpec, 548
    - in digital signatures, 197
    - packages for, 143
    - PrivateKey interface, 558
    - PublicKey interface, 562
  - resources for further reading, 739
  - secret key, 199, 752, 760
    - KerberosKey class, 795
  - service provider, not available, 555
  - symmetric-key, 199
- Currency class, 653
- currency symbols (Unicode), in identifiers, 21
- currently running thread, 424
- currentTimeMillis() (System), 154

- Customizer interface, 214, 220, 286
- customizing documentation format with javadoc, 252

## D

- data
  - compressing and writing to file, 168
  - hiding and encapsulating, 110–115
    - access control, 111–115
  - streaming (see input/output, streams)
- data accessor methods, 114
- data types, 13
  - bean properties, editor for, 219
  - buffer classes for, 179
  - classes as, 66
  - comparing different, 36
  - conditional operands, 41
  - converting (see converting data types)
  - declaring for variables, 45
  - fields, initializing, 96
  - interfaces as, 120
  - method returns, 65
  - operand, 32
  - primitive, 22–28
    - boolean, 16, 23, 378
    - char, 23, 380
    - conversions between, 27
    - double, 391
    - float, 394
    - floating-point types, 14, 25
    - int, 399
    - integer types, 24
    - long, 401
    - short, 413
    - textual representations of, 360
    - wrapper classes for, 151, 374
- reference, 22, 29, 74–81
  - arrays, 69–74
- reflection and dynamic loading, 158
- return, for operators, 33
- strings, 27, 67, 145
- switch statement with case labels, 50

- data types (continued)
  - vs. values represented by, 66
  - void, 431
- DataFormatException, 730
- DatagramChannel class, 187
- DatagramPacket class, 175, 448, 452
- DatagramSocket class, 175, 452
- DatagramSocketImpl class, 454
- DatagramSocketImplFactory interface, 455
- DataInput interface, 330
- DataInputStream class, 324, 331
- DataOutput interface, 332
- DataOutputStream class, 324, 333
- DateFormat class, 154, 619
  - Field class, 621
- DateFormatSymbols class, 622
- dates and times, 636
  - calculating with Calendar class, 646
  - classes for, 154
  - current time in milliseconds, 423
  - date arithmetic with Calendar class, 154
  - Date class, 654
  - DateServer class (example), reporting current time, 187
  - formatting dates with DateFormat, 154
  - formatting with SimpleDateFormat class, 632
  - Locale class and, 668
  - period of validity (in days) for certificates, 268
  - SimpleTimeZone class, 678
  - TimeZone class, 683
- deadlock in thread synchronization, 163
- debug(), 178
- debugging
  - applets, -debug option, 235
  - assertions, enabling for, 60
  - HTTP clients, 174
  - java interpreter, enabling for, 244
  - java\_g (debugging version of Java interpreter), 243
  - jdb debugger for Java, 261–265
  - logging, using for, 178
- decimal places, specifying, 444
- DecimalFormat class, 622
- DecimalFormatSymbols class, 624
- declaring
  - class fields, 89
  - constructors, 95
  - exceptions, 56
  - fields, variables vs., 96
  - methods, public static void declaration, 12
  - variables, 13
    - local variable declaration statements, 45
    - placement of declaration, 16
- decoding byte sequences into character strings, 182
- decrement (--) operator, 36
- decrement expression statements, 44
- decrementing array index variable, 71
- decryption (see encryption/decryption of data)
- default: label, switch statement, 49
- DefaultHandler class, 192
- DefaultPersistenceDelegate class, 286
- defining
  - classes, 11, 66
    - NoClassDefFoundError, 404
    - restricting untrusted applets from, 237
    - simple (Circle class example), 89
    - static initializers, 97
  - constructors, 94
    - multiple, 95
  - interfaces, 118
    - Centered interface (example), 118
  - Java programs, 84
  - local classes, 129
  - methods, 12
  - packages, 82
  - system classes, portability and, 225
- Deflater class, 730
- DeflaterOutputStream class, 731
- DelegationPermission class, 794
- deleting
  - files, permission for, 339
  - temporary files, 100, 335
- Depends-On attribute, JAR file manifest, 220
- @deprecated doc comment tags, 231, 233

- deprecated features, omitting from javadoc documentation, 255
- DESedeKeySpec class, 756
- deserializing objects, 170
- design patterns (see JavaBeans, conventions)
- Design-Time-Only attribute, JAR file manifest, 220
- DesignMode interface, 221, 287
- DESKeySpec class, 757
- Destroyable class, 784
- DestroyFailedException class, 784
- destroying objects, 98–101
- development tools (see SDK)
- DHGenParameterSpec class, 757
- DHKey interface, 755
- DHParameterSpec class, 758
- DHPrivateKey interface, 755
- DHPrivateKeySpec class, 758
- DHPublicKey interface, 755
- DHPublicKeySpec class, 758
- Dictionary class, 655
- Diffie-Hellman key-agreement algorithm, 747
  - parameters, generating set, 757
  - public/private key pairs, 754
  - public/private keys, 756
    - interfaces representing, 144
  - three-party agreement, 747
- DigestException class, 542
- DigestInputStream class, 168, 534, 542
- DigestOutputStream class, 534, 542
- digital signatures, 197, 205
  - algorithm that signs a certificate, 268
  - JAR files, 241
  - Signature class, 566
  - SignatureSpi class, 567
  - SignedObject class, 568
  - Signer class, 568
  - wrapping around an object, 198
- directories, 165
  - creating, 335
  - naming, portability and, 225
  - read permission for untrusted applets, 236
  - write permission for untrusted applets, 236
- disabling assertions, 61
- displaying output, 14
- distinguished name for X.500 certificate, 267
- distributed (enterprise) computing, packages for, 145
- distributing beans, 220
- division (/) operator, 34
- do loops, continue statement, starting new iteration, 53
- do statements, 51
- do/while statements, 51
- doc comments, 21, 225–233
  - in a class (example), 226
  - images in, 227
  - in javadoc program output, 252
  - overview, use by javadoc, 256
  - for packages, 233
  - spaces in, 227
  - structure of, 227
  - tags, 227–233
    - inline, within HTML text, 232
- doclet API, customizing documentation format with, 252
- {@docRoot} doc comment tag, 233
- documentation
  - for beans, 220
  - comments (see doc comments)
  - conventions for, 222–233
  - inheritance of, in doc comment tags, 233
  - JavaBeans methods, 219
  - javadoc tool, 252–257
  - locale, specifying for country and language, 255
  - undocumented classes in Java implementations, 224
- DOM (Document Object Model), 191
  - DocumentBuilder class, 806
  - DocumentBuilderFactory class, 807
  - interfaces representing XML document as DOM tree (W3C), 145
  - Java binding to core and XML modules, 833
  - parser for XML, 144, 193
  - tree representation of XML documents, 194
  - XML transformation classes, 144
- domain names, using in package naming, 83

- DomainCombiner interface, 543
- double data type, 14, 16, 25
  - Double class, 26, 151, 391
  - DoubleBuffer class, 489
  - infinity, representing, 26
- DSA and RSA public and private keys, 143, 598
  - representing and encoding, 602
- DSA encryption algorithm, 267
- DSAKey interface, 599
- DSAKeyPairGenerator interface, 599
- DSAParameterSpec interface, 603
- DSAParams interface, 599
- DSAPrivateKey interface, 600
- DSAPrivateKeySpec interface, 603
- DSAPublicKey interface, 600
- DSAPublicKeySpec interface, 604
- DTDHandler interface, 192
- dynamic class creation, 159
- dynamic class instantiation, 67
- dynamic class loading, 158
  - JavaBeans, 213
- dynamic method lookup, 108
  - abstract methods, 117

## **E**

- Editor class, 219
- editors
  - bean properties, 214, 299
    - manager for, 300
  - PropertyEditorSupport class, 300
  - for specific type, 219
  - text, 10
- Element interface, 193
- elements, array, 14
  - [] access operator, 43
- else clause (if/else statements), 47
- else if clause, 48
- emacs text editor, 10
- empty collections, 650
- empty interfaces, 122
- empty statements, 45
- EmptyStackException, 655
- enabling assertions, 61
- encapsulation of data, 110–115
  - access control, 111–115
  - inheritance and, 113

- enclosing classes (see containing classes)
- encode() (CharsetEncoder), 182
- EncodedKeySpec interface, 604
- Encoder class, 287
- encoding enc option (appletviewer), 235
- encoding/decoding data
  - characters, 522
  - text with charsets, 182
  - tool for, 268
  - Unicode strings to/from bytes, 143
  - URLDecoder class, 479
  - URLEncoder class, 479
  - XMLEncoder and XMLDecoder classes, 305
- encoding, character, 20
- EncryptedPrivateKeyInfo class, 744
- encryption/decryption of data, 199–201, 738
  - with Cipher class, 200
  - input/output streams, 200
  - encrypted network communication using SSL, 144
  - package for, 144
  - with SealedObject class, 201
  - secret keys, 199
  - (see also cryptography)
- end users, security for, 208
- enforcing method preconditions, 62
- enterprise computing, packages for, 145
- EntityResolver interface, 192
- Entry interface (Map), 671
- Enumeration interface, 656
  - enumeration implemented as member class (example), 125
  - implemented as an anonymous class, 133
  - Iterator interface vs., 662
- Enumerator class, 126
  - defining as local class, 130
- environment variables
  - CLASSPATH, 84
  - javac compiler, 251
  - setting for interpreter, 248
  - use by appletviewer, 236
  - HOME, Windows platforms, 236
  - JAVA\_COMPILER, for JIT, 243

- EOFException class, 56, 333
- equal to (==) operator, 26, 36, 77, 156
- equality, comparing strings for, 418
- equals()
  - Arrays class, 78, 155
  - Object class, 78
  - String class, 150
- equivalence, testing objects for, 78
- Error class, 56, 375, 393
- error messages, 56
- ErrorHandler interface, 192
- errors, 17
  - assertion, 60, 378
  - in assertions, 63
  - checkError() (PrintWriter), 362
  - ErrorManager class, 696
  - IllegalAccessError, 396
  - internal, in Java interpreter, 401
  - Java Virtual Machine, 430
  - standard error stream for the system, 423
  - ThreadDeath, 426
  - Throwable interface and, 428
  - UnknownError class, 429
- escape sequences
  - for ASCII characters, 23
  - in char literals, listed, 23
  - in string and char literals, 68
  - string literals, 27
  - for Unicode characters, 20
- escapes, character, in regular expressions, 149
- EUC-JP charset (Japanese text), 183
- evaluating expressions, 29
  - operator associativity and, 32
  - order of, 34
- event model, AWT (Java 1.0 and 1.1), portability and, 225
- events
  - bean context-related, 311
  - BeanContextMembershipEvent class, 311
  - BeanContextServiceAvailableEvent class, 313
  - Event class, 218
  - EventHandler class, 288
  - EventListener interface, 212, 218, 656
  - EventListenerProxy class, 657
  - EventObject class, 212, 218, 657
  - EventSetDescriptor class, 213, 289
  - JavaBeans model, 212
    - conventions for, 218
    - listeners for, registering, 216
  - PreferenceChangeEvent class, 714
  - PropertyChangeEvent class, 296
  - SSLSessionBindingEvent, 775
- examples in this book available online, xviii
- @exception doc comment tag, 229
- exceptions, 17
  - arithmetic, 26
  - ArithmeticException class, 25
  - bean property accessor methods, 216
  - catching and handling with jdb debugger, 262
  - chaining, 439
  - classes, 56
  - Exception class, 56, 375, 393
  - ExceptionListener interface, 290
  - handlers for, 55
  - handling with try/catch/finally statements, 57–60
  - indexed property accessor methods, 216
  - RuntimeException class, 410
  - Throwable interface, 375, 428
  - throwing, 55–57, 65
- exclamation point (see !, under Symbols)
- exclusive file locks, 185
- Exclusive OR (boolean XOR operator), 39
- exec() (Runtime), conventions/rules for, 224
- executable JAR files, running programs from, 242
- executing files, permission for, 339
- ExemptionMechanism class, 745
- ExemptionMechanismException class, 746
- ExemptionMechanismSpi class, 746
- exponentiation, 25, 403
- exponentiation functions, 152
- export regulations (cryptographic technology), 738
- exportPreferences(), 178
- Expression class, 291



- expression statements, 44
- expressions, 15
  - anonymous class definitions as, 133
  - assertion, 60
    - side effects of, 63
  - combining, caution with, 35
  - evaluating in loops, 16, 50
    - continue statement and, 53
    - initializing and updating loop variables, 52
  - operators and, 29–43
    - () (parentheses), use of, 31
    - arithmetic operators, 34
    - assignment operators, 40
    - associativity of operators, 32
    - bitwise and shift operators, 39
    - Boolean operators, 37
    - comparison operators, 36
    - conditional operator, 41
    - instanceof operator, 42
    - operand number and type, 32
    - order of evaluation, 34
    - relational operators, 37
    - return types, 33
    - side effects, 33
    - special (language construct) operators, 42
    - summary of operators, 30
    - ternary operator, 32
- extcheck utility, 238
- extending
  - classes, 102
    - top-level class extending member class, 128
  - interfaces, 122
- extensions, 3
  - standard, portability and, 225
- external programs (processes), Java
  - program communicating with, 196
- Externalizable interface, 232, 334
- extracting
  - characters and subsequences from readable character sequences, 147
  - JAR contents, 239

## **F**

- factorials, computing (example program), 9–18
- FactoryConfigurationError class, 808
- FailedLoginException class, 801
- FeatureDescriptor class, 213, 282, 291
- fields
  - accessible to local classes, 131
  - capitalization/naming conventions, 223
  - class, 89
    - in class serialization, 354
  - classes, 434
  - date fields in formatted output, 621
  - defaults and initializers, 96–98
  - deprecated (@deprecated doc comment tag), 231
  - Field class, 437
  - FieldPosition class, 625
  - Format.Field class, 626
  - GetField class, 350
  - inheritance in subclassing, 102
  - inherited, initializing, 103
  - input, output, and error (system), 423
  - instance, 89, 91
  - MessageFormat.Field class, 628
  - NoSuchFieldError, 404
  - NoSuchFieldException, 404
  - NumberFormat.Field class, 630
  - ObjectOutputStream.PutField, 353
  - references to, in @see doc comment tag, 231
  - serializing multiple class versions or implementations, 352
  - static, final, in interfaces, 118
  - superclass, shadowing, 106
    - method overriding vs., 107
- File class, 165, 323, 334
  - additional functionality (Java 1.2), 165
  - listing files in a directory, 133
- file pointer, 185
- file separators, 234
- file structure, 83
- file: protocol, 171

- FileChannel class, 183
  - file locks, exclusive and shared, 185
  - memory mapping a file, 184
  - random access to file contents, 185
- FilenameFilter interface, 133, 338
- filenames, 11
  - concatenating to directory name, 225
  - hardcoded, portability and, 225
- files, 165
  - associated with unused objects, closing or deleting, 100
  - binary, reading, 167
  - class, 84
  - FileDescriptor class, 336
  - FileFilter interface, 337
  - FileHandler class, 697
  - FileInputStream class, 165, 323, 337
    - SecurityManager and, 205
  - FilenameFilter interface, 323, 338
  - FileNameMap interface, 455
  - FileNotFoundException, 56, 338
  - FileOutputStream class, 323, 338
  - FilePermission class, 206, 339
  - FileReader class, 340
  - FileWriter class, 340
  - FilterInputStream class, 341
  - input/output, 183–185
    - copying file (example code), 183
    - memory mapping a file with FileChannel, 184
  - RandomAccessFile class, 323, 364
  - read permission for untrusted applets, 236
  - reading binary data from arbitrary locations in, 166
  - text, reading, 167
  - write permission for untrusted applets, 236
  - ZipFile class, 735
- fill() (Arrays), 155
- Filter interface, 699
- FilterInputStream class, 323
- FilterOutputStream class, 323, 341
- FilterReader class, 342
- FilterWriter class, 342
- final modifier, 89, 138
  - classes, 103
    - abstract methods and, 116
    - local classes and, 131
  - in local method definitions, 130
  - method lookup, 109
  - in variable declarations, 46
- finalize(), 100
- finalizing objects, 98–101, 423
  - finalizers, 100
    - chaining and, 105
- finally clause, 59
- firewalls, appletviewer and, 237
- flip(), 182
- float data type, 25
  - infinity, representing, 26
- floating-point data types, 25, 143, 152, 444
  - % (modulo) operator and, 35
  - / (division) operator, returning, 34
  - BigDecimal class, 153
  - converting to integer types, 28
  - converting to integers, 28
  - double, 14
  - Float and Double wrapper classes, 26
  - Float class, 151, 394
  - FloatBuffer class, 490
  - strictfp modifier, 139
  - testing for NaN, 36
- floor() (Math), 28
- flow control statements, 15, 43
  - return statement, 15, 17
- for loops
  - array indexing in, 71
  - continue statement, starting new iteration, 53
  - empty loop body, 45
  - initializing, testing, and updating variables, 51
- Format class, 625
- Field class, 626
- Formatter class
  - SimpleFormatter class, 708
  - XMLFormatter class, 709
- formatting
  - anonymous class definitions, 135
  - dates and times, 619
- ftp: protocol, 171

fully qualified class names, 81, 242  
  references to classes in other packages, 82  
functions, 19  
  mathematical, 152  
  (see also methods)

## G

garbage collection, 79, 86, 98, 431  
  classes, disabling for, 247  
  forcing to run synchronously, 410  
  incremental, interpreter option for, 246  
  jdb debugger command for, 263  
  OutOfMemoryError, 407  
  phantom references, 432  
  printing message upon occurrence, 246  
  system, 423  
  weak references, 433  
  WeakHashMap class, 688  
GatheringByteChannel interface, 181  
GeneralSecurityException class, 543  
generating quick-reference material, xix  
Generic Security Services (GSS) API, Java binding of, 145, 826  
get and set property accessor methods, 212–214  
  conventions, 215  
  bound properties, 216  
  constrained properties, 217  
  indexed properties, 216  
getChannel(), 183  
getCurrencyInstance() (NumberFormat), 152  
getenv() (System), 224  
getFD(), 336  
GetField class, 350  
getLogger() (Logger), 178  
getMessage(), 56  
getProperty() (System), 176  
getResource(), 221  
getResourceAsStream(), 221  
getService(), 221  
global variables  
  class fields as, 90  
  Java, not existing in, 85

graphical user interfaces (see GUIs)  
graphics, packages for, 145  
greater than (>) operator, 16, 37  
greater than or equal (>=) operator, 37  
GregorianCalendar class, 658  
Group interface, 571  
Guard interface, 544  
GuardedObject class, 534, 544  
GUIs (graphical user interfaces)  
  availability of for Java VM, 285  
  beans as components, 211  
  beans, specifying need for, 304  
  changes in bound properties of components, 282  
  packages for, 145  
GZIPInputStream class, 732  
GZIPOutputStream class, 732

## H

halting a system, 409  
hand-held devices  
  Java 2 Platform, Micro Edition (J2ME), 6  
  Java interpreter for, 4  
Handler class, 699  
handlers for exceptions, 55  
  try/catch/finally statements, 57–60  
HandshakeCompletedEvent class, 765  
hardcoded filenames, conventions/  
  rules for, 225  
hashcode, computing for objects, 423  
HashMap class, 156, 658  
  LinkedHashMap class, 663  
HashSet class, 659  
  LinkedHashSet class, 664  
Hashtable class, 156, 660  
  Properties subclass, 176  
hashtables, causing memory leaks, 100  
hasService(), 221  
help  
  javadoc-generated documentation, 254  
  javap tool, 260  
hexadecimal numbers, 25  
hiding data, 110–115  
  access control, 111–115  
  inheritance and, 113

- hierarchy, class, 80
  - containment hierarchy vs., 129
  - superclasses, Object class and, 103
- HOME environment variable
  - Windows platforms, 236
- HostnameVerifier interface, 766
- hosts
  - interpreter, connecting to jdb
    - debugger, 261
  - UnknownHostException, 472
- HotSpot VM
  - client and server versions, 243
  - interpreted mode without JIT, 246
- HTML tags
  - <A> (hyperlinks) tag, avoiding, 227
  - for applets, 234
  - in doc comments, 225, 227
  - <PRE> tag, 227
- HTTP server, 174
- http: protocol, 171
- https: protocol, 171, 764
  - SSL as basis of, 173
- HttpsURLConnection class, 767
- HttpURLConnection class, 455
- hyperlinks or cross references in doc
  - comments, 227

**I**

- identifiers, 21
  - assert, 60
  - method names, 65
- identity certificates (see certificates)
- Identity class, 544
- IdentityHashMap class, 156, 661
- IdentityScope class, 545
- if statements, 15
  - assertions in, 62
- if/else statements, 46
  - else if clause, 48
- IllegalAccessError class, 396
- IllegalAccessException class, 396
- IllegalArgumentException class, 396
- IllegalBlockSizeException, 746
- IllegalMonitorStateException class, 397
- IllegalStateException class, 397
- IllegalThreadStateException class, 397
- images in doc comments, 227
- immutability of String objects, 145
- implementation
  - of interfaces, 119
  - local and anonymous class, 137
  - member class, 137
  - of methods, 64
  - of multiple interfaces, 121
  - portable Java code, conventions/
    - rules for, 224
  - static member classes, 136
- implements (keyword), 119
- implies() method, Permission sub-
  - classes, 207
- importing
  - classes and packages, 82
  - static member classes, 125
- importPreferences(), 178
- IncompatibleClassChangeError, 398
- increment (++) operator, 33, 35
- incrementing
  - array index variable, 71
  - counter variable for loop, 50
  - in expression statements, 44
- indentation
  - anonymous class definitions and,
    - 135
  - in doc comments, code examples
    - and, 227
  - nested statements, 15, 47
- index files, javadoc, not generating,
  - 255
- indexed properties, 213
  - conventions for, 216
- IndexedPropertyDescriptor class, 292
- indexes
  - array, 43, 70
  - generating multiple index files,
    - javadoc, 256
  - JAR files, 240
- IndexOutOfBoundsException, 398
- Inet4Address class, 457
- Inet6Address class, 458
- InetAddress class, 448, 458
- InetSocketAddress class, 186, 459
- infinite loops, 50
  - for(;;), 52
- infinity, 26
  - % (modulo) operator and, 35
- Inflater class, 733
- InflaterInputStream class, 733

- info(), 178
- InheritableThreadLocal class, 398
- inheritance, 80
  - access control and, 113
  - {@inheritDoc} doc comment tag, 233
  - interfaces, constants in definitions, 119
  - method implementations, 140
  - scope vs., for member classes, 129
  - subclasses and, 101–110
    - class hierarchy, 103
    - constructor chaining and the default constructor, 104
    - fields and methods, 102
    - overriding superclass methods, 107–110
    - shadowing superclass fields, 106
    - subclass constructors, 103
- initialization vectors (Cipher), 741, 759
- initializers, 96–98
  - ExceptionInInitializerError, 394
  - IllegalAccessError, 396
  - static, 139
  - in variable declarations, 46
- initializing
  - arrays, 72
  - multidimensional, 73
  - fields, inherited, 103
  - loop variables, 51
  - objects, 94–98
- inline tags (doc comment), 232
- inner classes, 122
  - anonymous, 123
  - how they work, 136–138
  - local classes as, 123
  - member classes, 125–129
- input streams
  - BufferedInputStream class, 324, 326
  - BufferedReader class, 327
  - ByteArrayInputStream class, 323, 328
  - CharArrayReader class, 329
  - CheckedInputStream class, 728
  - CipherInputStream class, 200, 743
  - DataInputStream class, 324, 331
  - DigestInputStream class, 542
  - FileInputStream class, 165, 323, 337
  - FilterInputStream class, 323, 341
  - FilterReader class, 342
  - GZIPInputStream class, 732
  - InflaterInputStream class, 733
  - InputStream class, 323, 343
  - InputStreamReader class, 344
  - JarInputStream class, 693
  - LineNumberInputStream class, 346
  - LineNumberReader class, 347
  - ObjectInputStream class, 324, 348
    - GetField class, 350
  - PipedInputStream class, 323, 358
  - PipedReader class, 359
  - PushbackInputStream class, 363
  - PushbackReader class, 364
  - Reader class, 366
  - SequenceInputStream class, 367
  - StringBufferInputStream class, 370
  - StringReader class, 370
  - ZipInputStream class, 736
- input/output, 142
  - classes for (java.io package), 81, 323
  - displaying output, 14
  - input values, checking validity of, 15
  - InterruptedException class, 345
  - IOException class, 346
  - JAR files, reading from/writing to standard output, 239
  - for keytool program, 267
  - New I/O API, 179–191
    - buffer operations, 179
    - channel operations, 181
    - CharBuffer interface, 147
    - client-side networking, 186
    - encoding and decoding text with charsets, 182
    - files, working with, 183–185
    - nonblocking I/O, 143, 187–191
  - NotActive Exception, 347
  - ObjectInput interface, 348
  - ObjectInputValidation class, 351
  - ObjectOutput interface, 351
  - ObjectStreamClass class, 354
  - ObjectStreamConstants interface, 355
  - ObjectStreamException class, 356
  - OptionalDataException class, 357
  - profiling output, printing to standard output, 247

- input/output (continued)
  - for Socket objects, 466
  - StreamCorruptedException, 368
  - streams, 166–171
    - arrays and strings, streaming data to/from, 169
    - compressing data and writing to file, 168
    - console input, reading, 166
    - InputStream class, 166
    - message digests, computing, 168
    - OutputStream class, 166
    - pipelined, thread communication with, 169
    - printing text to output stream, 167
    - reading binary file, 167
    - reading lines from text file, 167
  - system, 423
  - thread blocking during, 164
  - for URL connections, 477, 479
  - (see also input streams; output streams)
- installed extensions, checking for, 238
- instance fields, 89, 91
  - default initialization of, 96
  - interfaces and, 118
  - superclass, shadowing, 106
- instance initializers, 98
  - substituting for constructors, 134
- instance methods, 89, 91–94
  - choosing between instance and class methods, 93
  - interfaces, 118
  - overriding superclass methods, 107–110
  - synchronized, 55
- instanceof operator, 42
  - marker interfaces, identifying with, 122
- instances, class
  - creating, 386, 436
  - creating dynamically, 67
- InstantiationException class, 399
- InstantiationException class, 399
- integer literals, 25
- integers, 399
  - % (modulo) operator and, 35
  - arbitrary precision, package for, 143
  - arbitrary-precision, math, 444
  - BigInteger class, 153, 446
  - int data type, 13, 399
    - IntBuffer class, 491
  - Integer class, 13, 25, 151, 399
  - integer types, 24
    - array access ([I] operator and, 33
    - in array index values, 70
    - converting to/from floating-point types, 28
    - wrapper classes for, 25
  - (see also primitive data types)
- interfaces, 66, 117–122
  - abstract classes vs., when to use, 120
  - abstract modifier in declarations, 138
  - capitalization/naming conventions, 222
  - as data types, 120
  - defining, 118
  - deprecated (@deprecated doc comment tag), 231
  - dynamic proxies, implementing with, 159
  - extending, 122
  - implementing, 119
    - multiple, 121
  - InstantiationException, 399
  - InstantiationException, 399
  - local scope and, 130
  - marker, 122
  - member classes, inability to define as, 127
  - modifiers, summary of, 138–140
  - references to, in @see doc comment tag, 229
  - as static member classes, 123
    - features of, 124
    - restrictions on, 125
  - InternalError, 401

- internationalization, 8
    - applications, package for, 143
    - comparing human-readable strings with Collator class, 150
    - currency formatting, 653
    - date and time formatting, 154, 619
    - formatting numbers for different locales, 152, 622, 628
    - java.text package, 609
    - Locale class, 668
    - locale, specifying for documentation, 255
    - localized resources for, 676
    - sorting text strings for locales, 618
    - string case conversions, 417
  - Internet domain names, using in package naming, 83
  - interpreted mode, operating HotSpot VM in, 246
  - interpreter (see Java interpreter; JVM)
  - interrupt(), 164
  - interrupted() (Thread), 164
  - InterruptedException class, 164, 401
  - InterruptedIOException class, 345, 453
  - InterruptibleChannel class, 164
  - interrupting threads, 426
  - introspection (JavaBeans), 213, 216
  - IntrospectionException class, 293
  - Introspector class, 213, 282, 284, 293
  - InvalidAlgorithmParameterException, 546
  - InvalidClassException class, 345
  - InvalidKeyException, 546
  - InvalidKeySpecException, 604
  - InvalidMarkException class, 492
  - InvalidObjectException, 345
  - InvalidParameterException, 547
  - InvalidParameterSpecException, 605
  - invisible beans, 212
  - InvocationHandler interface, 159, 434, 438
  - InvocationTargetException, 439
  - invoking methods, 12
    - () (method invocation) operator, 43
    - class methods, 90
    - constructors, from another constructor, 95
    - in expression statements, 44
    - instance methods, 92
    - overridden, 109
  - IOException class, 346
  - isBound() (PropertyDescriptor), 216
  - isDesignTime(), 221
  - isInterrupted(), 164
  - isNaN()
    - Double class, 36
    - Float class, 36
  - ISO Latin-1 character set, 20
  - iterations, 17
    - CharacterIterator interface, 615
    - CollationElementIterator interface, 616
    - ListIterator interface, 667
    - in loops, starting new with continue statement, 53
    - StringCharacterIterator class, 634
  - Iterator interface, 156, 662
  - IvParameterSpec class, 759
- ## J
- J2EE (Java 2 Platform, Enterprise Edition), 6
  - JAAS (Java Authentication and Authorization Service), 144
  - JAR files, 238
    - classes for reading and writing, 689
    - digital signatures for, 205
    - executable, running program in, 242
    - extension, checking whether installed, 238
    - JavaBeans, conventions for, 220
    - manifest, 690, 694
    - package for, 143
    - retrieving, 460
    - running programs by specifying, 85 (see also jar tool; jarsigner tool)
  - jar tool, 238–241
    - files, 240
    - options, syntax of, 239
  - JarEntry class, 689, 691
  - JarException class, 692
  - JarFile class, 689, 692
  - JarInputStream class, 693
  - JarOutputStream class, 694
  - jarsigner tool, 241

- JarURLConnection class, 460
- Java, 3–8
  - benefits of, 6–8
  - case sensitivity, 10
  - learning, 20
  - performance, 8
  - platform, 3
  - programming language, 3
  - strong typing in, 13
  - versions, 5
    - 1.1, security and, 203
    - 1.2, 4
  - Virtual Machine, 3
- Java 2 Platform, 4
  - Enterprise Edition, 6
  - Micro Edition, 6
- Java API, 14, 202
- java command, 84
- Java Cryptography Extension (JCE), 204, 534, 738
- Java Development Kit (see SDK)
- Java Documentation Generator (see javadoc program)
- .java file extension, 83
- Java interpreter, 4, 242–248
  - classpaths, specifying for, 84
  - evaluating expressions, 16, 29
  - garbage collection, 99
  - InternalError, 401
  - java command-line program, 10
  - jdb debugger, connection to, 261
  - just-in-time (JIT) compiler, specifying, 243
  - loading classes, 247
  - main() method, 12
  - OutOfMemoryError, 407
  - running programs, 84
  - StackOverflowError, 414
  - threading system, specifying, 244
  - versions, 243
- Java Keystore (JKS) type, 242, 268
- Java language, 3
  - C programming language, differences between, 85–87
  - java.lang package, 81, 374
  - modifiers, summary of, 138–140
  - as pass-by-values language, 79
  - resources for further information, 19
  - syntax, 19–87
- Java Native Interface (JNI), 258
- Java platform, 3, 142–201
  - arrays, 155
  - collections, 156–158
  - cryptography, 199–201
  - dates and times, 154
  - files and directories, 165
  - input/output streams, 166–171
  - JAXP (Java API for XML Processing), 191–196
  - Logging API, 178
  - Microsoft proprietary extension of, 224
  - networking, 171–176
    - JSSE (Java Secure Sockets Extension), 172
  - New IO API, 179–191
  - numbers and math, 151–153
  - packages, 81
    - key, listing of, 142–145
  - Preferences API, 177
  - processes (programs running external to interpreter), 196
  - security, 196–199
  - Standard Edition, 6
  - strings and characters, 145–151
  - threads, 160–165
  - “Write once, run anywhere”, 6
- Java Plug-in, 6
- Java programming
  - commercial products for, 9
  - conventions for, 222–233
  - example program, 9–18
  - Java language (see Java language)
  - network-centric, 7
  - object-oriented, 88–141
  - online resources, xvii
  - online tutorial, 17
  - related books on, xvi
- Java Runtime Environment (see JRE)
- Java Secure Sockets Extension (JSSE), 172, 764
- java utility, 242–248
  - versions, 243
- java.awt package, 145, 211
- java.awt.peer package, conventions/rules for, 224
- java.beans package, 142, 211, 282–306



- java.beans.beancontext packages, 142, 211, 214, 221, 306–322
- JAVA\_COMPILER environment variable, 243
- java.io package, 81, 142, 166, 323
  - RandomAccessFile class, 166
  - serializing/deserializing objects, 170
  - stream classes for reading from/
    - writing to arrays and strings, 169
  - stream classes, piped, 169
- java.lang package, 81, 142, 151, 374
- java.lang.ref package, 143, 431
- java.lang.reflect package, 143, 158, 434
- java.math package, 143, 153, 444
- java.net package, 81, 143, 171, 448
- java.nio package, 179
- java.nio.channels package, 179, 181, 495
  - server-side networking, 187
- java.nio.charset package, 179, 182
- java.policy file, 208
- java.security package, 143, 196, 533
  - digital signatures, 205
  - message digests, 168
- java.security.acl package, 143, 570
- java.security.auth package, 144
- java.security.cert package, 143, 573
- java.security.interfaces package, 143, 598
- java.security.spec package, 143, 602
- java.text package, 143, 609
- java.util package, 81, 143, 635
  - collections, working with, 156
- java.util.jar package, 143, 689
- java.util.logging package, 143, 178
- java.util.prefs package, 143, 177
- java.util.zip package, 144, 168, 727
- JavaBeans, 142, 211–221, 282–322
  - bean basics, 212–214
    - bean context, 214
    - customizing beans, 214
    - event model, 212
    - introspection mechanism, 213
    - methods, 213
    - Persistence API, 214
    - properties, 212
    - properties, specialized subtypes, 213
  - @beaninfo doc comment tag, 232
  - component model, 221
  - conventions, 214–220
    - auxiliary classes provided by a bean, 219
    - bean packaging and distribution, 220
    - beans, 215
    - bound properties, 216
    - constrained properties, 217
    - events, 218
    - indexed properties, 216
    - for methods, 219
    - properties, 215
  - customizing, auxiliary classes for, 220
  - serialization mechanism for components, 170
  - specification, web site, 212
- javac compiler, 10, 248–251
  - assert statements, handling, 60
  - character encoding required by, 268
  - options, 249–251
- javadoc program, 21, 252–257
  - customizing documentation format, 252
  - HTML documentation, creating, 225
- javah program, 257
- javakey program, 205
- javap class disassembler, 259
- javaw interpreter, 243
- javaw\_g interpreter, 243
- javax.crypto package, 144, 199, 204, 738
- javax.crypto.interfaces package, 144, 754
- javax.crypto.spec package, 144, 756
- javax.net package, 144
  - JSSE (Java Secure Sockets Extension), 172
- javax.net.ssl package, 144
  - JSSE (Java Secure Sockets Extension), 172
- javax.security.auth.callback package, 144
- javax.security.auth.kerberos package, 144
- javax.security.auth.login package, 144
- javax.security.auth.spi package, 144

- javax.security.auth.x500 package, 144
- javax.swing package, 145, 211
- javax.xml.parsers package, 144, 191
- javax.xml.transform package, 191, 194
- javax.xml.transform.sax package, 144
- javax.xml.transform.stream package, 145
- JAXP (Java API for XML Processing), 191–196
  - SAX parser, 192
  - transforming XML documents, 194
- JCE (Java Cryptography Extension), 204, 534, 738
  - JCEKS keystore, 242
- jdb debugger, 261–265
  - commands, 262–265
  - options, 261
- JDK (Java Development Kit) (see SDK)
- JIT (just-in-time) compilers, 4, 391
  - using with frequently used methods, 247
  - performance improvements with, 8
  - specifying for Java interpreter, 243
- JKS (Java Keystore) type, 242, 268
- join() (Thread), 162, 164
- JRE (Java Runtime Environment), 6
  - SDK vs., 9
- JSSE (Java Secure Sockets Extension), 172, 764
- just-in-time compilers (see JIT compilers)
- JVM (Java Virtual Machine), 3
  - array initialization, 72
  - interpreted mode without JIT (HotSpot), 246
  - jdb debugger, connecting to, 261
  - performance tuning and optimization, 8
  - security, 203
  - UnknownError, 429
  - versions, 243
  - VirtualMachineError, 430

## **K**

- Kerberos protocol, authentication, 144
- KerberosKey class, 795
- KerberosPrincipal class, 796
- KerberosTicket class, 796
- key-agreement algorithms, 747
- KeyAgreement class, 747
- KeyAgreementSpi class, 748
- KeyGenerator class, 749
- KeyGeneratorSpi class, 749
- KeyManagementException class, 549
- KeyManager interface, 767
- KeyManagerFactory class, 768
- KeyManagerFactorySpi class, 769
- KeyPair class, 549
- KeyPairGenerator class, 534, 550
- KeyPairGeneratorSpi class, 550
- keys, cryptographic
  - converting between Key and KeySpec, 548
  - DES key, 757
  - DSAPrivateKey interface, 599
  - invalid, 546
  - Key interface, 547
  - KeyException class, 547
  - KeyFactorySpi class, 548
  - KeySpec interface, 605
  - password-based, 756
  - RSA, 600
  - secret keys (symmetric), generating, 749
  - SecretKey interface, 752
  - triple-DES key (DESede), 756
  - UnrecoverableKeyException, 569
- keystore, 265
  - password, changing, 266
- KeyStore class, 534, 551
- KeyStoreException class, 552
- keystores, 265
  - keystore url option, jarsigner, 241
  - for policy files, 269
  - type, specifying, 242, 268
  - (see also keytool program)

- KeyStoreSpi class, 552
- keytool program, 199, 265–268
  - commands, 265
  - options, 267
- keywords, 22
  - abstract, 116
  - for access control, 111
  - assert, 60
  - break, 52
  - case, 49
  - extends, 102
  - final, 46
  - if, 15
  - implements, 119
  - import, 82
  - interface, 118
  - lines, 250
  - listing of, 22
  - new, 67
  - null, references, assigning null value, 78
  - package, 82
  - private, 105
  - public, 105
  - source, 250
  - static, 91
    - member classes and, 123
    - static initializers, 97
  - summary of, 138–140
  - super, 103, 109
    - referring to superclass members of containing class, 127
  - switch, 49
  - synchronized, 55
  - throws, 65
  - vars, 250
  - void, 54, 65
  - (see also modifiers)

## **L**

- labeled statements, 45
  - continue statement, 53
- language constructs, 42
- LanguageCallback class, 792

- languages, 78
  - European, numbers in, 152
  - international, representing with Unicode, 8
  - (see also programming languages)
- last-in-first-out (LIFO) stacks, 680
- LastOwnerException class, 572
- Latin-1 character set, 20, 182
  - escape sequences, 24
  - reading from input channel, converting to UTF-8, and writing to output channel, 185
- LDAPCertStoreParameters class, 588
- left shift (<<) operator, 40
- left-to-right associativity, 32
- length
  - of arrays, 71, 435
  - readable sequence of characters, 147
  - of strings, 416
- less than (<) operator, 37
- less than or equal to (<=) operator, 37
- levels of severity, log messages, 700
  - log messages, 178
- lexical scoping, 46, 132
- lib/security/java.policy file, 208
- LIFO (last-in-first-out) stacks, 680
- line separators, conventions/rules for, 225
- LineNumberInputStream class, 346
- LineNumberReader class, 347
- lines keyword, 250
- lines, blank, 15
- @link tags, 227, 232, 233
- LinkageError class, 401
- LinkedHashMap class, 156, 663
- LinkedHashSet class, 156, 664
- LinkedList class, 664
- links (UnsatisfiedLinkError), 429
- Linux platforms
  - Java interpreter, 4
  - SDK, downloading from Sun Microsystems, 9
- List interface, 665
- list() (File), 133
- Listener interface, 218

- listeners
    - EventListenerProxy class, 657
    - managing list of, 300
    - PropertyChangeListener interface, 282
    - registering, for constrained properties, 217
      - methods for, 216
    - registering and deregistering, 213
    - registering per-property
      - for constrained properties, 218
    - for unicast events, 213
  - lists, 156, 650
    - AbstractList class, 638
    - AbstractSequentialList class, 640
    - ArrayList class, 156, 641
    - arrays of objects as, 642
    - LinkedList class, 664
    - List interface, 665
    - ListIterator interface, 156, 667
    - ListResourceBundle class, 668
    - random access to elements, 676
    - sorting, 650
    - Vector class, 686
  - literals, 29
    - array, 71
      - initializing multidimensional array with, 74
    - char, 68
    - string, 67
  - loading classes
    - ClassLoader class, 388
    - ClassNotFoundException, 389
    - SecureClassLoader class, 563
    - URLClassLoader class, 476
  - loading libraries, 410
    - of native code into the system, 423
  - local classes, 123, 129–133
    - features of, 130
    - implementation of, 137
    - local variable scope and, 132
    - restrictions on, 130
    - scope of, 131
    - syntax for, 131
  - local variables, 13, 45
    - capitalization/naming conventions, 223
    - scope of, 46, 132
    - thread, 427
  - Locale class, 668
  - locking files, 185
  - locking objects for threads, 162
    - current thread, testing for, 424
    - deadlock, 163
    - listing waiting threads, 163
  - locking objects or arrays, 54
  - logarithmic functions, 152
  - Logger objects, 178
  - logging, 178
    - garbage collection events, 247
    - java.util.logging package, 143, 695
    - Logger class, 701
    - LoggingPermission class, 704
    - LogManager class, 704
    - LogRecord class, 706
    - severity levels for messages, 700
  - logins
    - authentication, classes for, 144
    - javax.security.auth.login package, 797
    - LoginContext class, 801
    - LoginException class, 802
    - LoginModule interface, 144, 802
    - user interface (javax.security.auth.callback), 144
  - long data type, 24
    - bitwise operators and, 39
    - Long class, 25, 151, 401
    - LongBuffer class, 493
    - shift operators and, 39
  - loops, 16
    - comparison operators, use in, 36
    - continue statement, starting new iteration, 53
    - counter, incrementing, 36, 50
    - do vs. while, 51
    - empty loop body, 45
    - exiting with break statements, 52
    - infinite, 50
    - iterating through, 17
    - nested, creating and initializing multidimensional arrays, 74
- ## M
- Mac class, 750
  - machine language (see native code)
  - Macintosh platforms, 4
  - MacSpi class, 751

- main(), 12, 84
  - java interpreter and, 242
  - running with jdb debugger, 264
- MalformedURLException class, 461
- ManagerFactoryParameters interface, 769
- Manifest class, 694
- manifest files, JAR, 240
  - creating with jar utility, 239
  - for JavaBeans, 220
- Map interface, 670
  - Entry interface, 671
- MappedByteBuffer class, 494
- maps, 156, 650
  - AbstractMap class, 639
  - Attributes class, 690
  - FileNameMap interface, 455
  - HashMap class, 658
  - hashtable-based, 156
  - IdentityHashMap class, 661
  - LinkedHashMap class, 663
  - memory mapping a file with
    - FileChannel, 184
  - SortedMap interface, 679
  - system-independent library names
    - to system-dependent, 423
  - TreeMap class, 684
  - WeakHashMap class, 688
- marker interfaces, 122
- Matcher class, 148, 718
- matches() (String), 148
- math, 151–153
- Math class, 152, 374, 403
  - ArithmeticException, 377
  - pseudo-random number generation, 153
  - rounding numbers, methods for, 28
- member classes, 123, 125–129
  - containing class instance, specifying for, 128
  - enumeration implemented as (example), 125
  - features of, 126
  - implementation, 137
  - local classes vs., 129
  - restrictions on, 126
  - scope vs. inheritance, 129
  - syntax for, 127
  - top-level class that extends, 128 (see also static member classes)
- Member interface, 439
- members, class, 11, 88–94, 434
  - access to, 112
  - interfaces, 118
  - static member classes as, 123
- memory
  - allocation/deallocation with
    - garbage collection, 79, 86, 99
  - for interpreter, 247
  - for Java program being debugged,
    - summary of usage, 263
  - for javadoc tool, 254
  - OutOfMemoryError, 407
  - Runtime class and, 410
- memory leaks, 99
- memory mapping a file, 184
- MemoryHandler class, 707
- message digests, 168, 196, 204
  - computing, 168
  - DigestInputStream class, 542
  - DigestOutputStream class, 542
  - in digital signatures, 197
  - exceptions, 542
  - MessageDigest class, 534, 553
  - MessageDigestSpi class, 554
- MessageFormat class, 627
  - Field class, 628
- messages, checking for tampering, 196
- method invocation (()) operator, 33, 43
- methods, 64
  - abstract, 115–117, 138
  - AbstractMethodError, 377
  - array-manipulation, 155
  - bean, 213
  - capitalization/naming conventions, 223
  - chaining, buffers, 180
  - characters, working with, 24
  - class, 89, 434
    - instance vs., choosing, 93
    - listing with jdb debugger, 263
  - Collections, 157
  - constructor (see Constructor class; constructors)
  - data accessor, 114
  - defining, 12
  - deprecated (@deprecated doc comment tag), 231

- methods (continued)
  - displaying byte code for (javap tool) , 259
  - end of, 14
  - enforcing preconditions for, 62
  - event listener interface, 218
  - IllegalAccessError, 396
  - IllegalArgumentException, 396
  - IllegalStateException, 397
  - inheritance through subclassing, 102
  - instance, 89, 91–94
  - interface, InvocationHandler, 159
  - invoking, 13
    - in expression statements, 44
    - on proxy objects, 438
  - JavaBeans
    - @beaninfo doc comment tag, 232
    - conventions for, 219
  - main() , 12
  - Method class, 440
  - MethodDescriptor class, 213, 219, 294
  - modifiers for, 65
  - naming, 65
  - native, 138
  - NoSuchMethodError, 405
  - NoSuchMethodException, 405
  - overloaded, references to, 230
  - overloading, 65, 87
    - defining multiple constructors for a class, 95
  - overriding, 107–110
    - dynamic method lookup, 108
    - final and static method lookup, 109
    - invoking overridden methods, 109
    - overloading vs., 107
  - parameters, 12, 65
    - invalid, 547
  - passing references to values, 78
  - references to, in @see doc comment tag, 230
  - side effects of, 33
  - signatures, 64
  - static, 139
  - String class, regular expression matching, 148
  - synchronized, 55, 139, 162
    - Collections class, 650
  - unmodifiable, 650
  - unsupported, error, 430
  - void, 54
- Micro Edition, Java 2 Platform (J2ME), 6
- Microsoft
  - Java VM implementation, security flaws, 203
  - proprietary extension of Java platform, 224
- Microsoft Windows (see Windows platforms)
- millisecond representation, current time, 154
- MIME types, 451, 455
- minus sign (-) (see -, under Symbols)
- MissingResourceException class, 671
- modifier options, jar command, 239
- modifiers, 11
  - access control, 111
  - anonymous classes and, 134
  - final, 89
    - for classes, 103
  - list of, 138–140
  - for methods, 65
  - Modifier class, 434, 441
  - not allowed with local variable or class declarations, 130
  - public, 89
  - public, static and void, 12
  - static, 89
  - visibility, 113
- modulo (%) operator, 35
  - %= (modulo assignment) operator, 41
- monetary values, formatting for
  - locales, 152
- MulticastSocket class, 448, 461
- multidimensional arrays, 73
- multiline comments, 11, 20
- multiple inheritance (C++), 118
- multiple interfaces, implementing, 121
- multiplication (\*) operator, 34
- multiplication table, representing with multidimensional array, 73

## *N*

- Name class, 691
- NameCallback class, 792
- names
  - anonymous classes, 138
  - classes
    - fully qualified, 242
    - simple and fully qualified, 81
  - of constants, 89
  - constructors, 95
  - method, 65
  - package, 82
  - uniqueness of, 83
  - signer (digital signatures), 241
  - of threads, 424
- namespaces, 81
- naming
  - beans, 215
  - conflicts between superclass and containing class, 129
  - JavaBean methods, 219
  - JavaBeans, 213
  - local classes and their enclosing classes, 131
- naming conventions, 222
  - characters in names, 223
  - classes, 222
  - fields and constants, 223
  - images in doc comments, 227
  - interfaces, 222
  - local variables, 223
  - methods, 223
  - packages, 222
  - parameters, method, 223
- NaN (not-a-number), 26
  - % (modulo) operator, returning
    - with, 35
  - floating-point values, testing for, 36
- narrowing conversions, 27
  - among reference types, 79
  - converting object to type of subclass, 80
- native code
  - byte code vs., 8
  - loading libraries into system, 423
- native methods, 138
  - conventions/rules for, 223
  - javah tool for implementing in C, 257
  - printing message when called, 246
- native OS threads, specifying for Java interpreter, 244
- native2ascii program, 268
- negation, performing with - (unary minus) operator, 35
- negative infinity, 26
- negative integers, representing, 39
- NegativeArraySizeException, 404
- nested bean contexts, 214
  - bean services and, 221
- nested classes, 123
- nested member classes, 127
- nested statements, if/else, 47
- NetPermission class, 462
- network connections, closing for unused objects, 100
- network-centric programming, 7
- networking, 171–176
  - access by untrusted applets, 237
  - authentication using Kerberos protocol, 144
  - classes for (java.net package), 81, 448
  - client-side
    - with datagrams, 187
    - with socket channels, 186
  - datagrams, 175
  - New I/O API, 179
  - packages for, 143
  - server-side, 187
  - servers, 174
  - sockets, 172, 762
  - SSL (Secure Sockets Layer), 172, 763
    - (see also SSL)
  - URL class, 171
- NetworkInterface class, 462
- New I/O API, 179–191
  - buffer classes, 481
  - buffer operations, 179
  - channel classes, 495

- New I/O API (continued)
  - channel operations, 181
  - client-side networking, 186
  - encoding and decoding text with
    - charsets, 182
  - files, working with, 183–185
  - nonblocking I/O, 187–191
- new operator, 43, 94
  - arrays, creating, 72
  - creating object with, 67
  - defining and implementing anonymous class, 134
  - member class, explicitly referring to
    - containing instance, 128
  - multidimensional arrays, initializing, 73
  - side effect of, 33
- newInstance()
  - Class class, 67
  - Constructor class, 67
- NoClassDefFoundError, 404
- Node interface, 193
- NodeChangeListener interface, 713
- nonblocking I/O, 179, 187–191
  - in client-side networking, 190
  - socket connection (example), 190
- NoRouteToHostException class, 463
- NoSuchAlgorithmException, 555
- NoSuchElementException class, 672
- NoSuchFieldError, 404
- NoSuchFieldException class, 404
- NoSuchMethodError, 405
- NoSuchMethodException, 405
- NoSuchPaddingException, 751
- NoSuchProviderException, 555
- NOT (!) operator (boolean), 38
- NOT (^) operator (bitwise), 39
- not equals (!=) operator, 37
- not-a-number (NaN), 26
- NotActiveException class, 347
- Notepad, 10
- notify() (Object), 163
- notifying event listeners of events, 213
  - bound property changes, 217
  - constrained property changes, 218
- NotOwnerException class, 572
- NotSerializableException class, 347
- null literals, 71
- null value, 78
  - default, reference fields, 96
  - representing absence of an object, 68
- NullCipher class, 752
- NullPointerException class, 56, 405
- numbers, 151–153
  - BigInteger and BigDecimal classes, 153
  - comparing (Comparator class), 652
  - converting to/from strings, 151, 615
  - DateFormat class, 619
  - DecimalFormat class, 622
  - Enumeration interface, 656
  - formatting, locale-specific, 152
  - Number class, 151, 406
  - number type (operands), 33
  - NumberFormat class, 152, 628
    - Field class, 630
  - NumberFormatException, 406
  - pseudo-random, implementing
    - generator for, 675
  - random, 153
  - real, representing with float and
    - double types, 25
  - rounding, 28
  - SimpleDateFormat class, 632

## O

- Object class, 374, 406
  - as root of class hierarchy, 80, 103, 140
- object identifier (OID), 598
- object literals, 67
- object member access (.) operator, 42
- object serialization, 170
  - bean instance, 215
  - Externalizable interface, 334
  - InvalidClassException, 345
  - NotSerializableException, 347
  - ObjectInput interface, 348
  - ObjectInputStream class, 324, 348
    - GetField class, 350
  - ObjectInputValidation class, 351
  - ObjectOutput interface, 351
  - ObjectOutputStream class, 324, 351
    - PutField class, 353



- object serialization (continued)
  - ObjectStreamConstants interface, 355
  - ObjectStreamException, 356
  - ObjectStreamField class, 356
  - SealedObject class, 752
  - @serial doc comment tag, 231
  - Serializable interface, 367
  - SerializablePermission class, 368
  - SignedObject objects, 198
  - warnings about inadequate documentation, 256
  - writing additional data, 232
- object-oriented programming, 88–141
  - abstract classes and methods, 115–117
  - anonymous classes, 133–136
  - class fields, 89
  - class methods, 90
  - classes, 7
  - data hiding and encapsulation, 110–115
  - extending classes, 101
  - inner classes, 122
    - how they work, 136–138
  - instance fields, 91
  - instance methods, 91–94
  - interfaces, 117–122
  - Java vs. C/C++, 3, 88
  - local classes, 129–133
  - member classes, 125–129
- ObjectOutput interface, 351
- objects, 66–69
  - AccessibleObject class, 435
  - arrays, treating as, 156
  - classes vs., 66
  - collections of, 143, 156–158
    - converting to and from arrays, 157
  - comparing, 77, 390
  - converting arrays to, 80
  - converting to other reference types, 80
  - copying, 75
  - creating and initializing, 67, 94–98
    - with expression statements, 44
    - with new operator, 43
  - destroying and finalizing, 98–101
    - finalizers, 100
    - garbage collection, 98
    - exception, 56
    - guarded, 544
    - information about, obtaining with instanceof, 122
    - inheritance through subclassing, 102
    - initializing
      - with instance initializers, 98
      - with multiple constructors, 95
    - instanceof operator, using with, 42
    - InvalidObjectException, 345
    - locking for thread access, 162
    - locks on, 54
    - manipulating by reference, 141
    - memory allocation and garbage collection for, 79
    - NullPointerException, 405
    - Object class, 140, 374, 406
    - as operand type, 33
    - proxy, invoking methods on, 438
    - references to, 75
    - serializing/deserializing (see object serialization)
    - signed, 198, 568
    - strings as, 67
    - testing for equivalence, 78
    - using, 69
    - waiting threads, list of, 163
  - ObjectStreamClass class, 354
  - Observable class, 672
  - Observer interface, 673
  - octal numbers, 24
  - OID (object identifier), 598
  - oldjava interpreter, 243
  - oldjavac compiler, 248
  - oldjavaw interpreter, 243
  - OO programming (see object-oriented programming)
  - open()
    - connected SocketChannel, creating, 186
    - unconnected SocketChannel, creating, 186
  - operands, 17
    - list of, 30
    - number and type, 32
  - operating system signals, interpreter use of, 247

- operating systems
  - Java platform, running on, 4
  - SDK, commercial products, 9
- operators, 16, 29–43
  - arithmetic, 34
  - assignment, 40
  - associativity of, 32
  - bitwise and shift, 39
  - Boolean, 37
  - comparison, 36
  - conditional, 41
  - expressions, order of evaluation, 34
  - instanceof, 42
  - list of, 30
  - new, creating object with, 67
  - operand number and type, 32
  - overloading, 140
  - precedence of, 31
  - relational, 37
  - return types, 33
  - side effects of, 33
    - combination assignment operators, 41
    - special, 42
    - ternary, 32
- optimization, class files (javac option), 250
- OptionalDataException class, 357
- OR (|) operator (conditional), 38
- OR (|) operator (bitwise), 39
- OR (|) operator (boolean), 38
- order of evaluation, 34
- org.ietf.jgss package, 145
- org.w3c.dom package, 145, 191, 833
- org.xml.sax package, 145, 191
- OutOfMemoryError class, 56, 407
- output streams
  - BufferedOutputStream class, 324, 326
  - BufferedWriter class, 327
  - ByteArrayOutputStream class, 323, 328
  - CharArrayWriter class, 329
  - CheckedOutputStream class, 728
  - CipherOutputStream class, 200, 743
  - DataOutputStream class, 324, 333
  - DeflaterOutputStream class, 731
  - DigestOutputStream class, 542
  - FileOutputStream class, 323, 338
  - FilterOutputStream class, 323, 341
  - FilterWriter class, 342
  - GZIPOutputStream class, 732
  - JarOutputStream class, 694
  - ObjectOutputStream class, 324, 351
    - PutField class, 353
  - OutputStream class, 323, 357
  - OutputStreamWriter class, 358
  - PipedOutputStream class, 323, 359
  - PipedWriter class, 360
  - PrintStream class, 360
  - PrintWriter class, 362
  - StreamHandler class, 709
  - StringWriter class, 370
  - WriteAbortedException class, 372
  - Writer class, 372
  - ZipOutputStream class, 737
- overloaded methods, references to, 230
- overloading
  - methods, 65, 87
    - defining multiple constructors for class, 95
    - overriding vs., 107
  - operators, 140
- overridden methods
  - chaining, 110
  - superclass of a containing class, 127
- overriding methods, 107–110
  - abstract, 116
  - dynamic method lookup, 108
  - field shadowing vs., 107
  - final and static method lookup, 109
  - invoking overridden methods, 109
  - run() (Thread), 160
- overview page, javadoc documentation, 233, 254
  - overview doc comment, using, 256
- Owner interface, 572

## P

- package access, 112
- package directive, 82
- package modifier, class member
  - accessibility, 114

- packages, 4, 20, 142–201
  - access to, 111
  - capitalization/naming conventions, 222
  - defining, 82
  - doc comments and summary documentation for, 233
  - enabling assertions in all classes and its subpackages, 61
  - importing, 82
  - Java namespace and, 81
  - JAXP (Java API for XML Processing), 191
  - key, listing of, 142–145
  - names, unique, 83
  - not documented in this book, 145
  - omitting names in javadoc documentation, 255
  - Package class, 407
  - references to, in @see doc comment tag, 229
  - restricting access for untrusted applets, 237
  - unnamed, 82
  - visibility, 138
- packaging beans, 220
- packets of data, 175
  - DatagramPacket class, 452
  - UDP protocol, 452
- padding schemes (cryptography), 751
  - BadPaddingException, 739
  - SunJCE cryptographic provider, 740
- PalmOS, Java interpreter, 4
- @param doc comment tag, 228
- ParameterDescriptor class, 294
- parameters
  - capitalization/naming conventions, 223
  - listing for methods, 65
  - method, 12
    - arguments, assigning to, 14
    - JavaBeans, 219
    - as variables, 13
  - this (keyword), for instance methods, 92
- parentheses (see ( ), under Symbols)
- ParseException class, 631
- parseInt() (Integer), 13
- ParserConfigurationException class, 808
- parsers for XML documents, 144
  - DOM, 191, 193
  - SAX (Simple API for XML), 145, 191
- parsing, variable input, 13
- pass-by-reference languages, 78
- pass-by-value languages, 78
- password-based encryption (PBE), 756, 759
- PasswordAuthentication class, 463
- PasswordCallback class, 792
- passwords
  - authenticating, 450
  - Java VM on a particular host, enabling jdbc connection to interpreter, 262
  - keypass password option, jar-signer, 241
  - keystore, changing, 266
- path separators, 234
- paths
  - certification, 579
  - PKIXCertPathChecker, 590
  - file, 334
- Pattern class, 148, 720
- pattern matching with regular expressions (see regular expressions)
- patterns
  - custom decimal number formats, 622
  - message formatting, 627
  - text string formatting, 616
- PatternSyntaxException class, 149, 726
- PBE (password-based encryption), 759
- PBEKey interface, 756
- PBEKeySpec class, 759
- PBEParameterSpec class, 759
- PBEWithMD5AndDES algorithm, 741
- percent sign (%) (see %, under Symbols)
- performance, 8
  - dynamic vs. static method lookup, 109
  - Java VM, 4
- Perl regular expressions, 148
  - matches, Java vs., 148

- Permission class, 207, 555
  - subclasses, summary of, 209
- Permission interface, 572
- PermissionCollection class, 556
  - modifying permissions to untrusted code, 208
- permissions, 206
  - ACL (access control list), 572
  - AllPermission class, 540
  - AuthPermission class, 783
  - BasicPermission class, 540
  - checking
    - with AccessControlContext, 536
    - with AccessController class, 537
    - with SecurityManager, 412
  - defining in policy file, 270
  - delayed resolution of, 569
  - DelegationPermission class, 794
  - filesystem, accessing local, 339
  - guidelines for, web site information, 208
  - LoggingPermission class, 704
  - NetPermission class, 462
  - Permission subclasses for access to new system resources, 206
  - PrivateCredentialPermission class, 785
  - PropertyPermission class, 674
  - ReflectPermission class, 442
  - restricted, 7
  - RuntimePermission class, 411
  - SecurityPermission class, 565
  - serialization features, 368
  - ServicePermission class, 797
  - SocketPermission class, 471
  - SSLPermission class, 771
  - summary of, 209
  - URLClassLoader class, 476
- Permissions class, 534, 557
- persistence, JavaBeans Persistence API, 214
- persistence, JavaBeans, 170
  - DefaultPersistenceDelegate class, 286
  - PersistenceDelegate class, 295
- PhantomReference class, 101, 431
- PipedInputStream class, 169, 323, 358
- PipedOutputStream class, 169, 323, 359
- PipedReader class, 169, 359
- PipedWriter class, 169, 360
- PKCS#5 (password-based encryption algorithm), 759
- PKCS8EncodedKeySpec interface, 605
- PKIXBuilderParameters class, 589
- PKIXCertPathBuilderResult class, 589
- PKIXCertPathChecker class, 590
- PKIXCertPathValidatorResult class, 590
- PKIXParameters class, 591
- platforms
  - defined, 4
  - line separators, differences in, 225
- pleaseStop() (example method), 161
- plugability layer for XSLT engines, 191
- plus sign (+) (see +, under Symbols)
- Point class (example), defining, 66
- policies (see security policies)
- Policy class, 206, 534, 557, 785
  - modifying permissions to untrusted code, 208
- PolicyNode class, 592
- PolicyQualifierInfo class, 592
- policytool program, 206, 208, 269
  - defining permissions, 270
- portability
  - certification program, 225
  - conventions, 223–225
  - Java interpreter, 4
- PortUnreachableException class, 464
- position(), 185
- positive infinity, 26
- post-increment, in expression statements, 44
- post-increment operator, 35
- pre-decrement, in expression statements, 44
- pre-increment operator, 35
- precedence, operator, 30
  - ! (boolean NOT) operator, 38
  - boolean vs. comparison operators, 37
  - conditional (?:) operator, 42
  - overriding with parentheses, 31
- predefined classes, 4
- preferences
  - AbstractPreferences class, 711
  - BackingStoreException, 712
  - InvalidPreferencesFormatException, 713

- preferences (continued)
  - java.util.prefs package, 143, 710
  - NodeChangeListener interface, 713
  - PreferenceChangeEvent class, 714
  - PreferenceChangeListener class, 178
  - PreferenceChangeListener interface, 714
  - Preferences class, 177, 715
  - PreferencesFactory interface, 717
  - user, Properties class and, 176
- primary expressions, 29
- prime numbers
  - large, randomly generated, 153
  - RSAMultiPrimePrivateCrtKey interface, 600
  - RSAMultiPrimePrivateCrtKeySpec, 606
  - RSAOtherPrimeInfo class, 607
- primitive data types, 22–28
  - arrays of, 435
    - conversion rules for, 81
  - boolean, 23, 378
  - casts of, 28
  - char, 23, 380
  - Class object, obtaining for, 158
  - converting between, listing of conversions, 28
  - double, 391
  - float, 394
  - int, Integer wrapper class, 399
  - long, 401
  - operand, 33
  - OptionalDataException class, 357
  - reading machine-independent
    - binary representations of, 331
  - reference types vs., 74
  - short, 413
  - textual representations of, 360
  - wrapper classes for, 151
  - writing in machine-independent
    - binary format, 332
- principals
  - KerberosPrincipal class, 796
  - Principal interface, 269, 558
  - X500Principal class, 803
- println(), 14
  - line separators for different platforms, 225
- PrintStream class, 360
  - platform-specific line separators, 225
- PrintWriter class, 362
  - platform-specific line separators, 225
- priority levels for threads, 160, 424
  - maximum, for any thread in group, 426
- private keys, 197
  - EncryptedPrivateKeyInfo class, 744
  - keypass password option, jar-signer, 241
  - locating for signer of JAR file, 241
  - X500PrivateKeyCredential class, 804
- private modifier, 139
  - class member visibility, 114
  - class members, 112
  - constructors, 105
  - methods
    - abstract modifier and, 116
    - inheritance and, 109
    - static member classes and, 124
- PrivateCredentialPermission class, 785
- PrivateKey interface, 558
- privileged code, running, 537
- PrivilegedAction interface, 559
- PrivilegedActionException, 559
- PrivilegedExceptionAction interface, 560
- probablePrime() (BigInteger), 153
- procedures (see methods)
- Process class, 196, 375, 408
- processes, 196
  - external to interpreter, starting, 410
  - spawning and executing on native system with Runtime.exec(), 224
- profiling output, printing to standard output, 247
- programmers
  - application, security for, 207
  - Java and, 8
  - JavaBeans, using, 212
  - system, security for, 207

- programming conventions, JavaBeans, 212
- programming languages
  - C language, differences from Java, 85–87
  - Java (see Java language)
  - lexically scoped, 132
  - object-oriented, Java vs. C++, 88
  - pass-by-reference, 78
  - pass-by-value, 78
  - Perl, regular expressions in, 148
  - strongly typed, 13
- programs
  - dynamic, extensible, 7
  - Java, 20
    - classes as fundamental unit, 11
    - compiling, 10
    - complete, conventions/rules for, 225
    - defining and running, 84
    - main() method, 12
    - running, 10
- propagating bean-context events, 311
- propagating exceptions, 56
- properties, 115
  - appletviewer, 236
    - firewall and caching proxy servers, 237
    - security, 236
  - bean, 212
    - access methods, 214
    - bound property conventions, 216
    - constrained property conventions, 217
    - conventions for, 215
    - editors for, 214, 219
    - indexed, conventions for, 216
    - IndexedPropertyDescriptor class, 292
    - PropertyChangeEvent class, 296
    - PropertyChangeListener interface, 296
    - PropertyChangeListenerProxy class, 297
    - PropertyChangeSupport class, 297
    - PropertyDescriptor class, 298
    - PropertyEditor interface, 299
    - PropertyEditorManager class, 300
    - PropertyEditorSupport class, 300
    - PropertyVetoException class, 301
      - specialized subtypes, 213
  - Properties class, 176, 673
  - PropertyChangeEvent class, 213, 282, 286
  - PropertyChangeListener interface, 213, 282, 286
    - adding/removing listeners, 216
    - bean context and, 221
  - PropertyChangeSupport class, 217
  - PropertyDescriptor class, 213, 215
  - PropertyEditor interface, 214, 219
  - PropertyPermission class, 674
  - PropertyResourceBundle class, 675
  - PropertyVetoException class, 213, 218, 309
  - system, 422
    - allowing applet to read, 237
- protected modifier, 139
  - class member accessibility, 114
  - class members, 112
  - member class, applying to, 126
- protection domains, combining, 543
- ProtectionDomain class, 534, 560
- ProtocolException class, 464
- Provider class, 561
- ProviderException class, 562
- Proxy class, 159, 434, 441
- proxy servers, caching, 237
- pseudo-random numbers, 153, 534, 563
  - Cipher class, 740
  - generating, 153
    - with Random class, 153
- PSSParameterSpec class, 606
- public modifier, 89, 139
  - class member accessibility, 113
  - class members, 112
  - classes, 11
    - in Java files, 83
  - constructors, 105
  - finalizer methods, 100
  - methods
    - interface, 118
    - JavaBeans, 213

- public/private key cryptography
  - in digital signatures, 197
  - keystore file for certificates, 241
- PublicKey interface, 562
  - RSA, setting to, 598
- “Pure Java” requirements, Sun web site information on, 225
- PushbackInputStream class, 363
- PushbackReader class, 364
- PutField class, 353

## Q

- queueing references, 432
  - PhantomReference class, 432
  - SoftReference class, 433
  - WeakReference class, 433
- quick-reference material, generating, xix

## R

- radians, 152
- random access to file contents, 185
- Random class, 153, 675
- RandomAccess interface, 156, 676
- RandomAccessFile class, 166, 183, 323, 364
- RC2ParameterSpec class, 760
- RC5ParameterSpec class, 760
- read/write file permissions, 339
- read()
  - FileChannel class, 183
  - ScatteringByteChannel interface, 181
- ReadableByteChannel interface, 181, 183
- Reader class, 166, 366
- reading
  - byte and character streams, 166
  - byte streams, 167
  - console input, 166
  - file contents
    - FileInputStream class, 165
    - RandomAccessFile class, 166
  - lines from text file, 167
  - serialized objects from streams, 170
  - streaming data from arrays or strings, 169
  - text file from input channel, 185
  - ZIP files, 168
- reading from/writing to files, 364
- ReadOnlyBufferException class, 494
- rectangular arrays, 74
- Reference class, 431
- reference types, 29, 74–81
  - == (equals) operator, testing with, 36
  - arrays, 69–74
  - comparing for equality, 77
  - conversions, 79
  - converting to other reference types
    - arrays, 80
  - copying objects and arrays, 75
  - in operands, 33
- ReferenceQueue class, 431
- references, 74
  - java.lang.ref package, 431
  - null, 78
  - to objects
    - object member access (.) operator, 42
    - PhantomReference class, 431
    - restoring with this pointer, 101
    - SoftReferences class, 433
    - unused, causing memory leaks, 99
    - weak references, 143
    - WeakHashMap class, 688
    - WeakReference class, 433
  - pass by reference vs., 78
  - @see doc comment tag, 229
- referent, 431
- reflection, 158
  - applets, security restrictions on, 205
  - introspection and, 213
  - java.lang.reflect package, 81, 434
  - package for, 143
- ReflectPermission class, 442
- Refreshable interface, 786
- RefreshFailedException class, 786
- registering event listeners, 213, 219
  - for constrained properties, 217
  - methods, conventions for, 216
  - unicast event, 219
- regular expressions
  - java.util.regex package, 144, 718
  - Matcher class, 718

- regular expressions (continued)
    - matches, Java vs. Perl, 148
    - multiple matches, 149
    - Pattern class, 720
    - PatternSyntaxException class, 726
    - strings, using on, 148, 417
  - relational operators, 36
  - remove methods, deregistering event listeners, 213
  - removePropertyChangeListener (PropertyChangeListener), 216
  - removeVetoableChangeListener (VetoableChangeListener), 217
  - repetitive tasks, threads for, 161
  - replaceAll(), 149
  - replaceFirst(), 149
  - representations, transformed XML documents, 194
  - reserved words, 22
  - resource bundles
    - ListResourceBundle class, 668
    - MissingResourceException, 671
    - PropertyResourceBundle class, 675
    - ResourceBundle class, 676
  - resources for further information
    - examples in this book, xviii
    - Java programming, xvii
    - quick-reference material, generating, xix
  - Result interface, 194
  - results, computing, 14
  - resurrecting unused objects, preventing, 101
  - @return doc comment tag, 228
  - return statements, 15, 17, 49, 54
  - return types, 33
  - return values, 12
    - comparison and relational operators, 36
    - methods, data types for, 65
  - right shift (>>>) operator, unsigned, 40
  - right shift (>>) operator, signed, 40
  - right-to-left associativity, 32
  - root directories, listing, 334
  - root directory of generated documentation, 233
  - round() (Math), 28
  - rounding numbers, 28
    - functions for, 152
  - RowSet class, 211
  - RSA and DSA public and private keys, 598
    - representing and encoding, 602
  - RSAPrivateCrtKeySpec interface, 600
  - RSAPrivateCrtKeySpec interface, 606
  - RSAPrivateCrtKeySpec interface, 600
  - RSAPrivateCrtKeySpec class, 606
  - RSAPrivateCrtKeySpec class, 607
  - RSAPrivateCrtKeySpec interface, 601
  - RSAPrivateCrtKeySpec interface, 607
  - RSAPrivateCrtKeySpec interface, 601
  - RSAPrivateCrtKeySpec interface, 608
  - RSAPrivateCrtKeySpec interface, 598, 602
  - RSAPrivateCrtKeySpec interface, 608
  - RuleBasedCollator class, 632
  - rules, 214
    - pure Java, 223–225
    - (see also conventions)
  - run(), 160
  - runFinalizersOnExit() (Runtime), 101
  - Runnable interface, 160, 409
  - running Java programs, 10, 84
  - Runtime class, 375, 409
    - exec(), using on portable code, 224
  - runtime environment, Java, 3, 6
    - (see also JRE)
  - RuntimeException class, 56, 410
  - RuntimePermission class, 206, 411
- ## S
- sandbox (Java 1.0), access control policies, 204
  - SAX (Simple API for XML), 848
    - API, 191
    - extensions to basic SAX2 API, 861
    - packages for, 145
    - parsing XML, 192
    - representing XML documents as method call sequences, 194
    - utility classes for SAX parsers, 863
    - XML transformation classes, 145
  - SAX parser, 191
  - SAXParser class, 192, 809



- SAXParserFactory class, 810
- ScatteringByteChannel interface, 181
- scheduling tasks, 681
- scientific notation, 25
- scope, 14, 46
  - vs. inheritance for member classes, 129
  - local classes, 131
  - local variables, local classes and, 132
- SDK (Software Development Kit), 6
  - appletviewer tool, 234–238
  - commercial products for different platforms, 9
  - extcheck tool, 238
  - jar tool, 238–241
  - jarsigner utility, 241
  - java interpreter, 242–248
  - javac compiler, 10, 248–251
  - javah tool, 257
  - javap class disassembler, 259
  - keytool, 265–268
  - native2ascii tool, 268
  - policytool, 269
  - serialver tool, 270
  - Sun Microsystems, download site, 9
  - tools, 234–270
- sealed packages, 408
- SealedObject class, 201, 752
- search and replace operations
  - using regular expressions, 149
  - in strings, 417
- searching
  - arrays, 155
  - collections elements, 157
- SecretKey interface, 199, 752
- SecretKeyFactory class, 753
- SecretKeyFactorySpi class, 754
- SecretKeySpec class, 760
- secure hash (see message digests)
- Secure Hash Algorithm (SHA), 270
- SecureClassLoader class, 563
- SecureRandom class, 534, 563
- SecureRandomSpi class, 564
- security, 7, 196–199, 202–210
  - access control, 204–207
    - applets, restrictions on, 204
    - fine-tuning trust levels, policies, and permissions (Java 1.2), 206
    - java.security.acl package, 570
    - permissions and policies, 206
    - the sandbox, 204
  - appletviewer, 236
    - network access for untrusted applets, 237
  - for application programmers, 207
  - architecture, 203
  - authentication and authorization packages, 144
  - authentication and cryptography, 204
  - certificates (see certificates)
  - digital signatures, 197
  - digitally signed classes, 205
  - DSA and RSA public and private key representations, 602
  - for end users, 208
  - GeneralSecurityException, 543
  - interfaces package, 598
  - Java binding of Generic Security Services API, 145, 826
  - Java VM
    - access restrictions, 203
    - byte-code verification, 203
  - java.security package, 143, 533
  - java.security.cert package, 143
  - message digests, 168, 196
  - packets, sending/receiving, 453
  - permissions (see permissions)
  - risks, 202
  - secure HTTP (https: protocol), 171
  - Secure Sockets Layer (see SSL)
  - SecureRandom class, 153
  - Security class, 564
  - SecurityException, 412
  - SignedObject class, 198
  - for system administrators, 208
  - for system programmers, 207
  - system properties, granting access to, 674
  - tool for policy configuration files, 269
  - URLClassLoader class, 476
- security policies, 206
  - default, defined by system administrators, 208
  - Policy class, 557, 785

- security policies (continued)
  - querying and setting, 565
  - user-defined, augmenting or replacing system policy, 208
- security providers, 561
  - managing list of installed, 564
  - NoSuchProviderException, 555
- SecurityManager class, 204, 412
  - default SecurityManager object, defining system property for, 209
  - delegation of access requests to AccessController, 206
  - installing, 208
  - system, 423
  - use by FileInputStream class, 205
- SecurityPermission class, 565
- @see doc comment tag, 229
- @see tags, 233
- seeding pseudo-random number generator, 675
- select() (Selector), 164
- selector interfaces and classes for non-blocking I/O, 143
- self-reflection, 158
- self-signed certificate authority certificates, 268
- semicolon (see ;, under Symbols)
- separators, file/path, 234
- SequenceInputStream class, 367
- sequential data (see streams, input/output)
- SereverSocketFactory class, 762
- @serial doc comment tag, 231
- @serialData doc comment tag, 232
- @serialField doc comment tag, 231
- Serializable interface, 122, 367
- SerializablePermission class, 368
- serializing objects, 170
  - JavaBeans components, 170
- serializing/deserializing objects (see object serialization)
- serialPersistentFields, 231
- server program, 270
- server sockets, factory classes for creating, 144
- server version of VM (Sun HotSpot), 243
- server-side networking, 187
- servers
  - blocking I/O and, 187
  - communicating directly with, using sockets, 172
  - NonBlockingServer class (example), 187–190
  - recognizing and accepting client connection requests, 174
- ServerSocket class, 174, 187, 448, 464
- service provider interface (see SPI)
- ServicePermission class, 797
- services protocol (JavaBeans), 221
- servlets, 12
- setBeanContext() (BeanContextChild), 221
- sets, 156, 650
  - AbstractSet class, 640
  - HashSet class, 659
  - hashtable-based, 156
  - LinkedHashSet class, 664
  - Set interface, 677
  - SortedSet interface, 680
  - TreeSet class, 685
- severe(), 178
- severity levels, log messages, 178, 700
- shadowing
  - class methods, 110
  - superclass fields, 106, 127
  - class fields, 106
  - method overriding vs., 107
- shared file locks, 185
- shift operators, 39
  - combining with assignment (=) operator, 41
- Short class, 25, 151, 413
- short data type, 24
  - comparing to float type with == operator, 36
- ShortBuffer class, 494
- ShortBufferException, 754
- shutdown hooks, adding and removing, 409
- side effects
  - expression
    - in assertion expressions, 63
    - in expression statements, 44
  - of operators, 33
- Signature class, 534, 566
- SignatureException class, 567

- signatures, method, 64
  - this keyword and, 92
- SignatureSpi class, 567
- signed right shift (>>) operator, 40
- SignedObject class, 198, 534, 568
- Signer class, 568
- signer name, 241
- simple names, classes, 82
- SimpleBeanInfo class, 284, 301
- SimpleDateFormat class, 632
- SimpleFormatter class, 708
- SimpleTimeZone class, 678
- @since doc comment tag, 231, 233
  - javadoc, ignoring in doc comments, 255
- single-line comments, 20
- sleep() (Thread), 161, 164
- socket connection, nonblocking, 190
- socket(), 186
- sockets
  - BindException, 450
  - ConnectException, 451
  - DatagramSocket class, 448, 452
  - DatagramSocketImpl class, 454
  - factory classes for creating, 144
  - InetAddress class, 459
  - javax.net package, 762
  - MulticastSocket class, 448, 461
  - ServerSocket class, 464
  - ServerSocketFactory class, 762
  - Socket class, 172, 187, 448, 466
  - SocketAddress class, 186, 468
  - SocketChannel class, 186
  - SocketException, 469
  - SocketFactory class, 763
  - SocketHandler class, 708
  - SocketImpl class, 469
  - SocketImplFactory interface, 470
  - SocketOptions interface, 470
  - SocketPermission class, 206, 471
  - SocketTimeoutException, 472
  - SSL (Secure Sockets Layer), 763, 776
    - (see also SSL)
    - unable to connect to remote host, 463
- SoftReference class, 431, 433
- software components
  - package for, 142
  - reusable, 211
- Software Development Kit (see SDK)
- Solaris operating system
  - Java interpreter, 4
  - SDK, download site (Sun), 9
  - thread type for Java interpreter and Classic VM, specifying, 244
- sort() (Arrays), 155, 642
- sorted sets and maps, 156
- SortedMap interface, 679
- SortedSet interface, 680
- sorting collections elements, 157
- source 1.4 (javac command-line argument), 60
- source code, converting to ASCII, 268
- source files
  - for classes being debugged, setting for jdb, 262, 264
  - path, specifying for javac compiler, 250
  - search path for (javadoc), 256
- Source interface, 194
- source keyword, 250
- spaces in doc comments, 227
- special effects, threads for, 161
- SPI (service provider interface)
  - cryptographic-authentication features, 534
  - javax.crypto package, 738
- split()
  - Pattern class, 149
  - String class, 149
- SSL (Secure Sockets Layer), 144, 172, 763
  - handshake completed event, 765
  - hostname verifier, 766
  - https: protocol, URL connections using, 767
  - javax.net.ssl package, 144
  - key managers, 767
  - trust managers, 778
    - X509TrustManager, 780
    - X509KeyManager interface, 780
- SSLContext class, 769
- SSLContextSpi class, 770
- SSLException class, 770
- SSLHandshakeException class, 771
- SSLKeyException class, 771
- SSLPeerUnverifiedException class, 771
- SSLPermission class, 771

- SSLServerSocket class, 772
- SSLServerSocketFactory class, 773
- SSLSession class, 774
- SSLSessionBindingEvent class, 775
- SSLSessionBindingListener interface, 775
- SSLSessionContext interface, 775
- SSLSocket class, 776
- SSLSocketFactory class, 777
- stack traces
  - displaying for current or specified threads, 265
  - for exceptions, 56
- StackOverflowError, 414
- stacks
  - call, encapsulation of state, 536
  - EmptyStackException, 655
  - LinkedList, using as, 665
  - specifying size for a thread, 424
  - Stack class, 680
- StackTraceElement class, 415
- standard extensions
  - additional information about, 145
  - conventions/rules for, 225
- standard output (see input/output)
- start() (Thread), 160
- state
  - beans, 212
    - writing persistently into XML file, 214
  - changes in, notifications of, 672
  - IllegalStateException, 397
  - object, writing complete to serialization stream, 232
  - threads, IllegalThreadStateException, 397
- Statement class, 302
- statements, 13, 43–64
  - assert, 60–64
  - break, 52
  - compound, 16, 45
  - continue, 53
  - do/while, 51
  - empty, 45
  - expression, 44
  - flow-control, 15
    - return statement, 15
  - for, 51
  - if/else, 46
    - else if clause, 48
- Java, summary of, 44
  - labeled, 45
  - local variable declaration, 45
  - return, 54
  - switch, 48–50
  - synchronized, 54
  - throw, 55–57
  - try/catch/finally, 57–60
  - while, 50
- static (keyword), 12
- static class members, 88
  - class fields, 89
  - methods, 90
- static initializers, 97
- static member classes, 123
  - features of, 124
  - implementation, 136
  - implementation of, 136
  - importing, 125
  - restrictions on, 125
- static modifier, 139
  - abstract modifier and, 116
  - anonymous classes and, 134
  - local classes and, 130
  - member classes and, 123
  - method lookup, 109
- stop() (Thread), 161, 424
- StreamCorruptedException class, 368
- StreamHandler class, 709
- streams, input/output, 166–171
  - arrays of bytes or text strings, reading from/writing to, 169
  - compressed data, writing to file, 168
  - console input, reading, 166
  - FileInputStream class, 183
  - FileOutputStream class, 183
  - Java program communicating with external process, 196
  - java.io package, 142
  - message digests, computing, 168
  - pipelined, thread communication with, 169
  - printing text to output streams, 167
  - reading lines from text file, 167
  - reading ZIP files, 168
  - XML, transformation classes for, 145, 194
- StreamTokenizer class, 368

- strictfp modifier, 139
- StrictMath class, 415
- string literals, 67
- StringBuffer class, 419
- StringReader class, 169
- strings, 27, 145–151
  - arrays of, 12
  - AttributedString class, 612
  - basic operations on, 145
  - comparing, 150
  - concatenating, 35, 420
  - converting bytes to, 379
  - converting numbers to, 615
  - converting numbers to/from, 151
  - converting other data types to, 35
  - converting to arrays, 417
  - converting to integer values, 25
  - converting to integers, 399
  - converting to longs, 401
  - converting to/from shorts, 413
  - equivalence, testing for, 78
  - instanceof operator, using with, 42
  - manipulation methods, implemented in machine code, 8
  - parsing errors in, 631
  - pattern matching with regular expressions, 148
  - sorting for different locales, 618
  - streaming data, reading from/writing to, 169
  - String class, 145, 374, 416
    - creating instances of, 67
    - inheritance from Object class, 80
  - StringBuffer class, 147, 419
  - StringBufferInputStream class, 370
  - StringCharacterIterator class, 634
  - StringIndexOutOfBoundsException, 421
  - StringReader class, 370
  - StringTokenizer class, 150, 681
  - StringWriter class, 169, 370
  - Unicode, converting to/from bytes, 143
- stub files for C language Java native method implementation, 258
- subclasses
  - abstract
    - implementing abstract methods, 116
    - partial implementation of, 121
  - concrete, 116
  - constructors, 103
  - inheritance and, 101–110
    - constructor chaining and the default constructor, 104
    - overriding superclass methods, 107–110
    - shadowing superclass fields, 106
    - superclasses and Object class, 103
  - Thread class, 160
- subinterfaces, 122
- Subject class, 782, 786
- SubjectDomainCombiner class, 788
- subroutines (see methods)
- Subset class, 383
  - UnicodeBlock class, 383
- substrings
  - comparing, 416
  - converting portion of StringBuffer to a String, 420
- subtraction (-) operator, 34
- Sun Microsystems
  - “100% Pure Java” portability certification program, 225
  - HotSpot VM, 243
  - Java packages controlled by, 83
  - SDK download site, 9
- SunJCE cryptographic provider, 738
  - cryptographic algorithms supported, 740
  - Diffie-Hellman key-agreement algorithm, 747
  - key-generation implementations, supporting, 749
  - message authentication algorithms, 750
  - padding schemes, 740
  - RC5 encryption algorithm and, 760
  - SecretKeyFactory implementations, 753
- super (keyword), 103
  - overridden methods, invoking, 109
- super(), vs. super keyword, 110
- superclasses, 103
  - containing class members, accessing, 127
  - fields, shadowing in subclasses, 106

- superclasses (continued)
  - inheritance by subclasses of
    - method implementations, 140
  - methods, overriding, 107–110
  - Object class as root of hierarchy, 103
- Swing programming, 211
- switch statements, 48–50
  - assertions in, 62
  - case labels, 49
- symmetric keys, 199, 753
  - generating, 749
- SyncFailedException class, 371
- synchronized methods, 162
  - Collections class, 650
  - HashSet class, 659
  - LinkedList class, 664
  - TreeMap class and, 685
- synchronized modifier, 55, 139
- synchronized statements, 54
- synchronizing threads, 162, 406
  - deadlock, avoiding, 163
  - IllegalMonitorStateException, 397
- system administrators, security for, 208
- System class, 155, 375, 422
  - getenv(), lack of portability, 224
- system classes
  - javap tool, specifying search path for, 259
  - path to search for (javah), 258
  - portable Java code and, 225
- system preferences, 715
  - java.util.prefs package, 710
  - package for reading and writing, 143
  - Preferences class, 177
- system programmers, security for, 207
- system properties
  - applets, allowing to read, 237
  - appletviewer, use by, 236
  - java.security.manager, defining, 209
  - Properties class, using for, 176
  - read and write access control, 674
- system resources, permissions for, 555
- system security policy, replacing with user-defined, 209
- systemNodeForPackage() (Preferences), 177

## T

- tabs, 15
- taglet classes, classpath for, 257
- tags
  - doc comment 227–233
    - inline, within HTML text, 232
    - listing of, 227–233
  - HTML
    - for applets, 234
    - in doc comments, 227
- target names, permissions, 207, 209
- targets for permissions, 270
- tasks, scheduling, 681
- temporary files
  - creating, 335
  - deleting, 100
- terminating lines with platform-specific separators, 225
- ternary operator, 32, 41
- testing
  - assertions, enabling for, 60
  - loop variables, 51
  - method argument values with assert statement, 62
- text
  - Arabic and Hebrew, bidirectional algorithm for, 613
  - attribute keys for multilingual, 611
  - CharacterIterator interface, 615
  - displaying, 167
  - internationalized, package for, 143, 609
  - line breaks, 614
  - outputting to file, 167
  - reading from files, 340
  - strings of (see strings)
- text editors, 10
- text files
  - input/output channels, reading from and writing to, 185
  - reading, 167
- Text interface, 193
- TextInputCallback class, 793
- TextOutputCallback class, 793
- this (keyword), 92
  - accessing shadowed field through vs. invoking overridden method with super, 109

- this (keyword) (continued)
  - explicit reference to containing instance of this object, 127
  - invoking one constructor from another, 95
- this()
  - calling one constructor from another, 96
  - field initialization code and, 97
- thread groups in debugging, 264
- threads, 160–165
  - communicating with piped I/O streams, 169
  - deadlocked, 163
  - IllegalThreadStateException, 397
  - inheritance, 398
  - InterruptedException, 401
  - interrupting, 164
  - jdb commands, specifying for, 261
  - operating on other threads, 424
  - priority levels for, 160
  - safety, 650, 660, 686
  - sleeping, 161
  - stack size, setting for interpreter, 247
  - stack traces for, displaying with jdb, 265
  - suspending execution with jdb debugger, 264
  - synchronizing, 54, 162, 406
    - IllegalMonitorStateException, 397
  - terminating, 161
  - Thread class, 160, 375, 423
  - ThreadDeath error, 426
  - ThreadGroup class, 426
  - ThreadLocal class, 427
  - timers for, 161
  - type, specifying for Java interpreter and Classic VM, 244
  - waiting for another to finish, 162
  - waiting, list of, 163
- throw statements, 49, 55–57
  - declaring exceptions, 56
  - exception types, 56
- Throwable interface, 56, 375, 428
- throwing exceptions, 18
- throws clause, 65
- @throws doc comment tag, 229
- timeouts, socket, 466, 472
- Timer class, 161, 681
- TimerTask class, 161, 682
- TimeZone class, 683
  - SimpleTimeZone class, 678
- tokenizing strings, 150, 368, 681
- tools, Java development (see SDK)
- TooManyListenersException class, 213, 684
- toString(), 35
- tracing by interpreter, enabling/disabling, 410
- transferFrom() (FileChannel), 184
- transferTo() (FileChannel), 184
- Transformer class, 194
- TransformerFactory class, 194
- transforming XML documents, 144, 191, 194, 811
  - applying XSLT stylesheet and writing to a stream, 195
  - from DOM tree into stream of XML text (example), 194
- transient fields, object serialization and, 231
- transient modifier, 140
- tree representation of XML documents, 191, 193
- TreeMap class, 684
- TreeSet class, 685
- trigonometric functions, 152
- trimming whitespace from strings, 417
- triple-DES key, 756
- trust, fine-grained levels in Java 1.2, 206
- TrustAnchor class, 593
- TrustManager interface, 778
- TrustManagerFactory class, 778
- TrustManagerFactorySpi class, 779
- truth values, 23
- try clause, 58
- try/catch/finally statements, 57–60
- tutorial, Java programming, 17
- twos-complement format, representing negative numbers, 39
- type conversions, 27, 43
  - reference types, 79
- types (see data types)

## U

### unary operators

- ! (boolean NOT) operator, 38
- (negation) operator, 35
- ~ (bitwise complement), 39
- associativity of, 32

### unchecked exceptions, 56

### UndeclaredThrowableException, 442

### undecrement values, 36

### unicast events, 213

- registering listener for, 219

### Unicode, 8, 20

- applet parameter values, converting to, 235

### char data type, 23

### characters in Java names, 223

- converting strings to/from bytes, 143

### currency symbols in identifiers, 21

### escape sequences, 24

### named subset of, 383

### native2ascii tool and, 268

### PrintStream class and, 361

### UnicodeBlock class, 383

### UTF-8 encoding of, 183

### UTFDataFormatException, 372

### Unix

### classpath, specifying, 248

### emacs text editor, 10

### file and path separators, 234

### Java interpreter, 4

### threads for Java interpreter and

### Classic VM, 244

### UnknownError class, 429

### UnknownHostException class, 472

### UnknownServiceException class, 472

### unmodifiable methods (Collections), 650

### unnamed packages, 82

### UnrecoverableKeyException class, 569

### unreliable datagram packets, 452

### UnresolvedPermission class, 569

### UnsatisfiedLinkError, 429

### unsigned data types, 24

### unsigned right-shift (>>>) operator, 40

### UnsupportedCallbackException class, 794

### UnsupportedClassVersionError, 429

### UnsupportedEncodingException, 371

### UnsupportedOperationException, 430, 650, 649

### until loops, 16

### untrusted code, 202–208

### access control, 202

### fine-grained levels in Java 1.2, 206

### sandbox (Java 1.0), 204

### application programming, use in, 208

### byte-code verification of class files, 203

### updating

### JAR archive contents, 239

### JAR file manifest, 241

### loop variables, 51

### URIs

### converting files to/from, 334

### URI class, 472

### URISyntaxException class, 474

### URLClassLoader class, 159

### permissions to loaded code, 208

### URLs

### HttpURLConnection class, 455

### JAR archive URLs, 460

### JavaBeans conventions, 212

### javadoc-generated document, specifying for top-level directory, 254

### keystore file containing keys and certificates, 241

### MalformedURLException, 461

### URL class, 171, 448, 474

### URLClassLoader class, 476

### URLConnection class, 448, 477

### URLDecoder class, 479

### URLEncoder class, 479

### URLStreamHandler class, 479

### URLStreamHandlerFactory interface, 480

### US-ASCII charset, 182

### user interface, low-level login module, 144

### user preference files, Properties class and, 176



- user preferences, 715
  - java.util.prefs package, 710
  - package for reading and writing, 143
  - Preferences class, 177
- username and password, encapsulating, 463
- userNodeForPackage() (Preferences), 177
- users, security for, 208
  - replacing user policies, 209
- UTF-8 encoding of Unicode, 20, 183
  - converting Latin-1 encoding to and writing to output channel, 185
- UTFDataFormatException, 372
- utilities, packages for, 143
- utilities (java.util package), 81

## V

- validating, certificate chains, 582
- validation
  - InvalidObjectException, 345
  - ObjectInputValidation class, 351
- variables, 13, 29, 138
  - accessible to local classes, 131
  - assigning values to, 13
  - declaring
    - Java vs. C language, 86
    - placement of, 16
  - fields vs., 89
  - global, class fields as, 90
  - IllegalAccessError, 396
  - incrementing, as side effect of ++ operator, 33
  - initializing, field declarations vs., 96
  - local, 45
    - capitalization/naming conventions, 223
  - local scope, local classes and, 132
  - loop, initializing, testing, and updating, 51
  - scope, 14
  - scope of, 46
  - storing objects in, 67
  - variable type for operands, 33
- vars keyword, 250
- Vector class, 156, 686
- verbose command-line arguments
  - enabling assertions, 61
- verifying
  - classes, byte-code verification error, 430
  - classes with javap tool, 260
  - hostname for SSL connections, 766
  - JAR files (jarsigner tool), 242
  - verifying byte code for untrusted classes, 203
  - verifying digital signatures, 198
  - JAR files, 241
  - @version doc comment tag, 228
- versions
  - class, UnsupportedClassVersionError, 429
  - class or classes, displaying for, 270
  - Java, 5
    - 1.2, security advances in, 7
    - running programs, 85
  - Java interpreter, 243, 245
  - specifying in @since doc comment tag, 231
- VetoableChangeListener class, 213, 302
  - bean context and, 221
  - registering and removing listeners, 217
- VetoableChangeListenerProxy class, 303
- VetoableChangeSupport class, 218, 303
- virtual functions (C++), 109, 116
- Virtual Machine, Java (see JVM)
- virtual method invocation, 108
- VirtualMachineError class, 430
- visibility
  - of beans, 212
  - class members, 113
  - local classes, 130
  - members, working with, 435
  - Visibility interface, 304
- Void class, 431
- void keyword, 12, 54, 65
- volatile modifier, 140

## W

- W3C (World Wide Web Consortium)
  - DOM (Document Object Model), 145, 191
  - org.w3c.dom package, 833
- wait() (Object), 163
- waking threads, 164, 424
- warning(), 178
- weak references, package for, 143
- WeakHashMap class, 688
- WeakReference class, 431, 433
- while loops, 16, 50
  - continue statement, starting new iteration, 53
- whitespace
  - delimiting tokens, 369
  - leading and trailing, removing from strings, 417
  - for readability in programs, 15
- widening conversions, 27
  - among reference types, 79, 117
  - objects, 80
  - objects, inheritance through subclassing, 103
- Windows platforms, 4
  - classpath, setting, 248
  - file and path separators, 234
  - Java interpreter, 4, 243
  - Notepad and WordPad text editors, 10
  - SDK for, 9
  - SDK, downloading from Sun Microsystems, 9
- wizards, 214
- WordPad, 10
- World Wide Web Consortium (see W3C)
- WritableByteChannel interface, 181, 183
- “Write once, run anywhere”, 6, 223
- write permission for files, 339
- write()
  - FileChannel class, 183
  - GatheringByteChannel interface, 181
- WriteAbortedException class, 372
- writeExternal() (Externalizable), 232
- writeObject(), 232
- Writer class, 166, 372

## writing

- byte and character streams, 166
- compressed data to file, 168
- to files, 364
  - untrusted applets, 236
- serialized objects to streams, 170
- streaming data to arrays or strings, 169
- text file to output channel, 185

## X

- X.500 certificates, distinguished name, 267
- X500Principal class, 803
- X500PrivateCredential class, 804
- X509Certificate class, 573, 577, 593
  - (see also Certificate class)
- X509CertSelector class, 594
- X509CRL class, 573, 577, 596
- X509CRLEntry class, 597
- X509CRLSelector class, 597
- X509EncodedKeySpec interface, 608
- X509Extension interface, 598
- X509KeyManager interface, 780
- X509TrustManager interface, 780
- XML
  - JAXP (Java API for XML Processing), 191–196
    - DOM parser, 193
    - parsing XML with SAX, 192
    - transforming XML documents, 194
  - packages for, 144
  - preference data, errors in, 713
  - transforming document content, 811
- XML files
  - bean state, writing persistently to, 214
  - preference names and values, exporting as, 178
- XML parsers
  - DOM
    - DocumentBuilder class, 806
    - DocumentBuilderFactory class, 807
  - FactoryConfigurationError, 808
  - javax.xml.parsers package, 805

XML parsers (continued)  
  ParserConfigurationException, 808  
  SAX, 848  
  SAXParser class, 809  
  SAXParserFactory class, 810  
XMLDecoder class, 170, 214, 305  
XMLEncoder class, 170, 214, 305  
XMLFormatter class, 709  
XMLReader class, 192  
XOR (^) operator (bitwise), 39  
  ^= (bitwise XOR assignment) operator, 41  
XOR (^) operator (boolean), 38  
XSLT  
  java.xml.transform package, 194  
  stylesheets, applying to XML document and writing to a stream, 195

transformation engine, 144  
transforming XML documents, 191

## **Z**

zero extension technique, 40  
ZIP archives, classes for, 81  
ZIP files, JAR files vs., 689  
ZIP files, package for, 144  
ZipEntry class, 734  
ZipException, 735  
ZipFile class, 168, 735  
ZipInputStream class, 736  
ZipOutputStream class, 737